IAEA (2004). Sediment distribution coefficients and concentration factors for biota in the marine environment. Technical Reports Series No. 422. International Atomic Energy Agency (IAEA), Vienna, Austria.

IAEA (2017). The environmental behaviour of polonium, Technical Reports Series No. 484, International Atomic Energy Agency (IAEA),Vienna, Austria.

Khan, M.F. & Wesley, S.G. (2011). Assessment of health safety from ingestion of natural radionuclides in seaoods from a tropical coast, India. Marine Pollution Bulletin, 62(2), 399 – 404.

Kim, S.H., Hong, G.H., Lee, H.M. & Cho, B.E. (2017). ^{210}Po in the marine biota of Korean coastal waters and the effective dose from seafood consumption. Journal of Environmental Radioactivity, 174, 30 – 37.

Kulsawat, W. & Porntepkasemsan, B. (2016). Distribution of ^{210}Po in some marine biota of a Samut-Sakhon region: evaluation of dose to consumers. KKU Engineering Journal, 43(x):xx – xx.

Mohamed, C.A.R., Tee, L.T., Zal, U.W.M., Zaharuddin, A. & Masni, M.A. (2006). Activity concentrations of ^{210}Po and ^{210}Pb in edible tissue of fish caught at Kuala Selangor, Malaysia, Malaysia Applied Biology, 35(2), 67 – 73.

Musthafa, M.S. & Krishnamoorthy, R. (2012). Estimation of 210-Po and 210-Pb and its dose to human beings due to consumption of marine species of Ennore Creek, South India. Environmental Monitoring Assessment, 184(10), 6253 – 6260.

Rand, G.M. (1995). Fundamentals of aquatic toxicology: Effects, environmental fate and risk assessment. CRC Press.

UNSCEAR (2000). Sources and effects of ionizing radiation. United Nations Scientific Committee on the Effects of Atomic Radiation United Nations, New York; Report to the general assembly with scientific annexe.

Jefferson, R.D., Goans, R.E., Blain, P.G. & Thomas, S.H. (2009). Diagnosis and treatment of polonium poisoning. Clininal Toxicology (Phila), 47, 379 – 92 and Erratum in: Clinical Toxicolology (Phila) 47, 608.

Matthews, K.M., Kim, C.K. & Martin, P. (2007). Determination of ^{210}Po in environmental materials: a review of analytical methodology. Applied Radiation Isotope, 65(3), 267 – 279.

Ŝtrok, M. & Smodiš, B. (2010). Levels of ^{210}Po and ^{210}Pb in fish and molluscs in Slovania and the related dose assessment to the population. Chemosphere, 82(7), 970 – 976.

Turekian, K.K., Nozaki,Y. & Benninger, L.K. (1977). Geochemistry of atmospheric radon and radon products, Annual Revision Earth Planet Science, 5, 227 – 255.

Zal U'yun Wan Mahmood, Nooradilah Abdullah, Norfaizal Mohamed @ Muhammad, Mohd Tarmizi Ishak & Muhammad Izzat Muammar Ramli (2019). Distribution of Po-210 in seawater, biota and sediment in the east coast of Peninsular Malaysia. Jurnal Sains Nuklear Malaysia, 31(2), 59 – 68.