

































































- [Internet]. 2022;890:161768. Available from: <https://doi.org/10.1016/j.jallcom.2021.161768>
73. Alagumalai K, Balamurugan M, Chen SM, Selvaganapathy M. One-pot engineering of novel cashew like cobalt tungstate; dynamic electrocatalyst for the selective detection of promethazine hydrochloride. *Microchem J* [Internet]. 2020;159(June):105381. Available from: <https://doi.org/10.1016/j.microc.2020.105381>
  74. Saleh TA, Abulkibash AM, Ibrahim AE. Portable system of programmable syringe pump with potentiometer for determination of promethazine in pharmaceutical applications. *Saudi Pharm J* [Internet]. 2012;20(2):155–60. Available from: <http://dx.doi.org/10.1016/j.jsps.2011.08.005>
  75. Alizadeh T, Akhoundian M. A novel potentiometric sensor for promethazine based on a molecularly imprinted polymer (MIP): The role of MIP structure on the sensor performance. *Electrochim Acta* [Internet]. 2010;55(10):3477–85. Available from: <http://dx.doi.org/10.1016/j.electacta.2010.02.010>
  76. Ganjali MR, Vesimohammadi B, Riahi S, Norouzi P. Promethazine potentiometric membrane sensor for promethazine hydrochloride pharmaceutical analysis; Computational study. *Int J Electrochem Sci*. 2009;4(5):740–54.
  77. Felix FS, Ferreira LMC, Vieira F, Trindade GM, Ferreira VSSA, Angnes L. Amperometric determination of promethazine in tablets using an electrochemically reduced graphene oxide modified electrode. *New J Chem*. 2015;39(1):696–702.
  78. Sakthivel R, Kubendhiran S, Chen SM. Facile one-pot sonochemical synthesis of Ni doped bismuth sulphide for the electrochemical determination of promethazine hydrochloride. *Ultrason Sonochem* [Internet]. 2019;54(January):68–78. Available from: <https://doi.org/10.1016/j.ultsonch.2019.02.013>
  79. Singh G, Rani S. Selective Poly ( Vinyl Chloride ) Membrane Electrode. 2016;2(1):42–4.
  80. Issa YM, El-Hawary WF, Ahmed AF. Ion-pair formation in pharmaceutical analysis. Conductimetric determination of promazine, chlorpromazine, promethazine, imipramine and ciprofloxacin hydrochlorides in pure form, drug formulations and urine. *Mikrochim Acta*. 2000;134(1–2):9–14.
  81. Zhang Q, Zhan X, Li C, Lin T, Li L, Yin X, et al. Determination of promethazine hydrochloride and its preparations by highly accurate nephelometric titration. *Int J Pharm*. 2005;302(1–2):10–7.