

In the light of findings, some recommendations are mentioned below through which we enhance the knowledge of pregnant women about Tetanus Toxoid vaccination so that we can reduce this social problem from the society because a mother is the first educational institution of every human being. So for this, we should care the mothers along their babies.

1. Govt. should provide economic incentives for pregnant mothers, so that they can come to health centers for the vaccination of Tetanus Toxoid vaccination without any advertisement.
2. Health education should be given to pregnant women through lady health visitor (LHV) regarding Tetanus Toxoid vaccination, when they come for check up to Basic Health Unit / Rural Health Center.
3. The quality of knowledge of the pregnant mothers would be improved through media other stakeholders about Tetanus Toxoid vaccination, so that they can get maximum benefits from Tetanus Toxoid vaccination during pregnancy.
4. There should be practical training on the importance of the Tetanus Toxoid vaccination workshops conducted by lady health workers (LHWs) on community level.
5. Sensitization on healthy living should be presented in health facilities during antenatal care visits to help out the pregnant mothers so that they can understand the importance of Tetanus Toxoid vaccination in her life.

Reference:

1. Asim, M., Malik, N., Yousaf, H., Gillani, I., & Habib, N. (2012). An assessment of parental knowledge, belief and attitude toward childhood immunization among minorities in rural areas of district Faisalabad, Pakistan. *Mediterranean Journal of Social Sciences*, 3(11), pp. 153-159.
2. Alex-Hart, B. A., & Okoh, B. A. N. (2015). Awareness and status of tetanus toxoid vaccination among female undergraduate students in a Nigerian University. *Int J Trop Dis Health*, 7(1), pp. 6-15.
3. Belihu, K. D., Tesso, F. Y., & Woldetsadik, T. D. (2017). Dropout Rate of Tetanus Toxoid Immunization and Associated Factors among Reproductive Age Group of Women in Debrebirhan Town, Amhara Region, Northern Ethiopia. *J Women's Health Care*, 6(390), 2167-0420.
4. Thwaites, C. L., Beeching, N. J., & Newton, C. R. (2015). Maternal and neonatal tetanus. *The lancet*, 385(9965), pp. 362-370.
5. Khan, R., Vandelaer, J., Yakubu, A., Raza, A. A., & Zulu, F. (2015). Maternal and neonatal tetanus elimination: from protecting women and newborns to protecting all. *International journal of women's health*, 7, 171.
6. Facha, W., Yohannes, B., & Duressa, G. (2018, January). Tetanus Toxoid Vaccination Coverage and Associated Factors among Pregnant Women in Duguna Fango District, Southern Ethiopia. *International Journal of Health Sciences & Research*, 8(1), pp. 148-154.
7. Fischer, G. W., Ottolini, L. C. M. G., & Mond, C. J. J. (1997). Prospects for vaccines during pregnancy and in the newborn period. *Clinics in perinatology*, 24(1), pp. 231-249.