

GSJ: Volume 9, Issue 12, December 2021, Online: ISSN 2320-9186
www.globalscientificjournal.com

Afia Afzal, Shehreen Sohail, Rafia Noor, Amina Bibi, Iqra Asad, Aemin Rasheed, Zunaira Hakeem,
Zaynab Jawad, Fareeha Sohail, Hamza Rana

45. Gaastra W, Svennerholm AM. Colonization factors of human enterotoxigenic *Escherichia coli* (ETEC). *Trends Microbiol.* 1996;4:444–452.
46. Wolf MK. Occurrence, distribution, and association of O and H serogroups, colonization factor antigens, and toxins of enterotoxigenic *Escherichia coli*. *Clin Microbiol Rev.* 1997; 10:569–584.
47. Guth BE, Pacheco AB, von Krüger WM, Ferreira LCS. Comparison of outer membrane protein and lipopolysaccharide profiles of enterotoxigenic *Escherichia coli* strains isolated in São Paulo, Brazil. *Braz J Med Biol Res.* 1995; 28:545–552.
48. Nishimura LS, Ferreira LCS, Pacheco ABF, Guth BE. Relationship between outer membrane protein and lipopolysaccharide profiles and serotypes of *Escherichia coli* and evidence that CFA/III is related to type IV pili. *Infect Immun.* 1995; 63:724–728.
49. Qadri F, Svennerholm AM, Faruque AS, Sack RB. Enterotoxigenic *Escherichia coli* in developing countries: epidemiology, microbiology, clinical features, treatment, and prevention. *Clin Microbiol Rev.* 2005; 18:465–483.
50. Pacheco ABF, Guth BEC, de Almeida DF, Ferreira LCS. Characterization of enterotoxigenic *Escherichia coli* by random amplification of polymorphic DNA. *Res Microbiol.* 1996; 147:175–182.
51. von Mentzer A, Connor TR, Wieler LH, et al. Identification of enterotoxigenic *Escherichia coli* (ETEC) clades with long-term global distribution. *Nat Genet.* 2014; 46:1321–1326.
52. Lasaro MA, Rodrigues JF, Mathias-Santos C, et al. Genetic diversity of heat-labile toxin expressed by enterotoxigenic *Escherichia coli* strains isolated from humans. *J Bacteriol.* 2008; 190:2400–2410.