







































- Shah S, Molla MR, Chandra D, Rahman L (2008). Assessment of genetic variation and relationships within the varieties of four *Brassica* species by RAPD markers. Aus J Crop Sci 2: 105-114.
- Timothy JPD (2000). The effect of Gibberellin A<sub>3</sub> on wild and dwarf *Brassica rapa* as studied under laboratory conditions, University of Notre Dame, Notre Dame, IN Bio Sci pp 1-11. <http://timothyducey.files.wordpress.com>
- Uddin MM, Samad A, Khan MR, Begum S, Salam MA (1986). Effect of sowing dates on the yield and some of its components of mustard and rapeseed. Bang J Sci Ind Res 21: 160-165.
- Whitehead, Alan (2008). The effects of gibberellic acid on wild type and Rosette Plants of the Species, *Brassica rapa*. University of Alabama at Birmingham. Lab Handout [www.regional.org.au/au/gcirc/canola/p-07.htm#P698\\_75989](http://www.regional.org.au/au/gcirc/canola/p-07.htm#P698_75989)
- Zebarjadi A, Kakaie M, Mostafaie A (2011). Genetic variability of some traits in Rapeseed (*Brassica napus* L.) under drought stress and non-stress conditions. Biharean Biologist. 5: 127-131.