

























*crobiology and Molecular Biology Reviews*, 67, 491-502.

- [28] V. C. Verma, S. K. Gnod, A. Kumar, R. N. Kharwar, and G. A. Strobel (2007) "Endophytic mycoflora from leaf, bark, and stem of *Azadirachta indica* A Juss. from Varanasi India". *Microbial Ecology*, 54:119–125.
- [29] J. Shasikala, and Y. Krishnamurthy (2008). "Diversity of fungal endophytes in shrubby medicinal plants of Malnad region, Western Ghats, Southern India". *Fungal Ecology*, 1, 89 - 93.
- [30] S. S. Marquez, G. F. Bills and I. Zabalagogeazca (2007). "The endophytic mycobiota of the grass *Dactylis glomerata*". *Fungal Diversity*, 27, 171-195.
- [31] B. Schulz, S. Guske, Dammann, U. Dammann and C. Boyle (1998). "Endophyte-host interactions II. Symbiosis of the endophyte-host interaction". *Symbiosis*, 25, 213-227.
- [32] H. L. Barnett and B. B. Hunter (1998). "*Illustrated Genera of Imperfect Fungi*". (4th ed.) MacMillan Publ. Co. ISBN: 0-89054-192-2, New York.
- [33] K. Hata and K. Futai (1995). "Endophytic fungi associated with healthy pine needles and needles infested by the pine needle gall midge, *Thecodiplosis japonensis*". *Canadian Journal of Botany*, 73, 384-390.
- [34] T. S. Suryanarayanan, G. Senthilarasu and V. Muruganandam (2000) "Endophytic fungi from *Cuscuta reflexa* and its host plant". *Fungal Diversity*, 4, 117-123.
- [35] T. S. Suryanarayanan and S. Thennarasan (2004). "Temporal variation in endophyte assemblages of *Plumieria rubra* leaves". *Fungal Diversity*, 15, 197- 204
- [36] Shannon, C. E. & Wiener, W. (1963). *The Mathematical Theory of Communication*. University of Illinois Press, Urbana, 117.
- [37] E. H. Simpson (1949). Measurement of diversity. *Nature*. 163. 688.
- [38] P. Jaccard (1901), "Étude comparative de la distribution florale dans une portion des Alpes et des Jura", *Bulletin de la Société vaudoise des sciences naturelles*, 37: 547–579.

)