













































































- Goswami, S.K. and Basu, S.K. Direct Solution of Distribution Systems, IEE Proc. C., 188(1), Pp. 9 – 13, 1991.
- Ibeni, C, (2017). *Load Flow Analysis of Port Harcourt Electricity Network by Fast Decoupled and Newton- Raphson Techniques.*
- Izuegbunam, F. L., Duruibe, S.I., &Ojukwu G.G (2011).Power Flow and Contingency Assessment Simulation on the expanding 330KV Nigeria Grid Using Power World Simulator, *Journal of Emerging Trends on Engineering as Applied Science*, 2, 1002-1008.
- Jabr, R.A, Singh, R., & Pal, B.C (2012).Minimum Loss Network Reconfiguration Using Mixed-Integer Convex Programming.*IEEE Transactions on Power Systems*, 27(2), 1106-1115.
- Jayaprakash, J; Angelin,P.M; Jothilakshmi, R.&Juanola, P. J.(2016). *Planning andCoordination of Relay in Distribution System using ETAP. Pakistan journal of Biotechnology*, 13(5), 252-256.
- Klingman W. R &HimmdBlau D.M (2008), Nonlinear Programming with the aid of a multiple – gradient, Summation. *TechniqueJournal of the ACM*, 11(4), 400-415 Doi: 101145/321239. 321241.
- Kothari, I.J., &Nagrath, D.P. (2007).*Modern Power System Analysis* (3rd Ed.) New York: McGraw-Hill.
- Kriti, S. (2014).Comparison between Load Flow Analysis Methods in Power System using MATLAB. *International Journal of Scientific & Engineering Research*, 5 (5),1-8Retrieved from <http://www.ijser.org> 6<sup>th</sup>, November 2017.
- Li H., Zhang. A., Shen X., &Xu, J (2014).A Load Flow Method for Weekly Meshed Distribution Networks Using Powers as Flow Variables.*International Journal of Electrical Power & Energy for Energy System*, 22(5), 375-350.
- Mageshvaran, R., Jacob Raglend, Yuvaraj, V., Rizwankhan, P, Vijayakumar, T., &Sudheera.(2008). *Implementation of non-Traditional Optimization Techniques* (PSO, CPSO, HDE) for the Optimal Load Flow Solution. TEN CON 2008-2008 IEEE Regun 10 Conference, 19-21, doi:10.1109/tencon.2008.4766830).
- Milano, F. (2009).*Continuous Newton's Method for Power Flow Analysis* IEEE Transactions on Power Systems, 24(1), 50-57.