

6. Kshetri T. NDVI, NDBI & NDWI Calculation Using Landsat 7,8.
<https://www.linkedin.com/pulse/ndvi-ndbi-ndwi-calculation-using-landsat-7-8-tek-bahadur-kshetri> [Internet]. 2018;(September 2018):8. Available from:
<https://www.linkedin.com/pulse/ndvi-ndbi-ndwi-calculation-using-landsat-7-8-tek-bahadur-kshetri>
7. Niraj KC, Thapa L, Shukla DP. Fate of agricultural areas of Kailali District of Nepal: A temporal land use land cover change (LUCC) analysis. *Int Arch Photogramm Remote Sens Spat Inf Sci - ISPRS Arch.* 2020;43(B3):1601–6.
8. Bhatti SS, Tripathi NK. Built-up area extraction using Landsat 8 OLI imagery. *GIScience Remote Sens.* 2014;51(4):445–67.
9. Yankovich KS, Yankovich EP, Baranovskiy N V. Classification of Vegetation to Estimate Forest Fire Danger Using Landsat 8 Images : Case Study. 2019;2019.
10. Lazaridou MA, Karagianni AC. Landsat 8 multispectral and pansharpened imagery processing on the study of civil engineering issues. *Int Arch Photogramm Remote Sens Spat Inf Sci - ISPRS Arch.* 2016;41(July):941–5.
11. Rimal B. APPLICATION OF REMOTE SENSING AND GIS , LAND USE / LAND COVER CHANGE IN KATHMANDU METROPOLITAN CITY , NEPAL . 2011;
12. Abdelkareem OEA, Elamin HMA, Eltahir MES, Adam HE, Elhaja ME, Rahamtalla AM, et al. Accuracy assessment of land use land cover in Umabdalla natural reserved forest , South Kordofan, Sudan. *Int J Agric Environ Sci.* 2018;3(1):5–9.