



Heavy metal contamination in water and the Strategies for the Reduction of Pollution Load of Commercial and Industrial Areas of Pakistan

Sumaira Pervez¹, Syeda Mona Hassan¹, Shahzad Sharif Mughal^{1*}, Nageena Shabbir¹, Muneza Munir¹, Maryam Mushtaq¹, Muhammad Farman², Ali Raza Ayub³

¹Department of Chemistry, Lahore Garrison University, Lahore, Punjab, Pakistan.

²Department of Chemistry, University of Engineering and Technology, Lahore, Punjab, Pakistan.

³Department of chemistry, University of Agriculture, Faisalabad, Pakistan

*Corresponding author email: shezi1130@gmail.com

Abstract: Water is significant for living and fundamental might want of every cell on living tissue. Water due to its unmistakable properties is considered to be the first various dissolvable. Water being a general solvent retains, adsorbs and suspend a lot of materials in it hence it will just be tainted by human exercises especially. Persistent properties of drugs, production techniques and industry have an inescapable impact on pollution of air, water and fully soil primarily based altogether. Real supply of water pollution is trash tossing, processing, industry and urbanization. Water is certainly debased by genuine metals like Arsenic (As), Lead (Pb), Copper (Co), (Cr) and so on. This water tainting will cause genuine disorders and normally it's hence bold that it can cause passing of a creature whenever expended. Water cleaning is accordingly appallingly important and furthermore the procedures that might be utilized for this reason for existing are frequently substance, physical or organic. Out of the considerable number of ways just as oil/fat evacuation systems, chlorination, air circulation and so on high-impact decontamination is most appropriate in view of its intensity and viability. In this review, we have discussed about the water contamination of ground water, also demonstrated about the measurements of contaminated as well as ground water samples abstracted from different areas of Pakistan especially where the effluents released by industries to lakes and rivers.

Key words: water pollution; industrial wastes; reduction strategy

1. Introduction:

Water is the mode for survival for every one of the plants and animals[1]. Surface and ground water are the two primary guideline wellsprings of water [2]. Water is an all-inclusive dissolvable being able to assimilate, adsorb and suspend the materials in it due to its extremity just as its one of a kind hydrogen bonding [3]. Water is absent in its unadulterated structure because of its defilement done by creatures and individuals particularly. "Overwhelming metal" term alludes to any metal and nonmetal part that highlights a nearly high thickness beginning from 3.5 to seven g cm³ and portrays dangerous properties at low fixations, and together with mercury (Hg), nuclear no 48 (Cd), arsenic (As), nuclear number 24 (Cr), metal (Tl), zinc (Zn), nickel (Ni), copper (Cu) and lead (Pb). However

"substantial metals" could be a general term illustrated inside the writing, it's wide reported and regularly connected to far reaching contaminations of soils and water bodies. These metals might be discovered wide inside the earth crust and they all are non-biodegradable in nature. They go to the physical structure by means of air, water and nourishment. Little range include a significant job inside the digestion of people and creatures in frightfully follow sums anyway their higher fixation could cause poisonous quality and wellbeing dangers [4].

One of the fantastic medications for the expulsion of bold material from line waste will be squander item treatment. Physical, compound, and natural procedures could likewise be implemented for blasting expulsion of natural contaminants. Result of waste water treatment is that the waste slime that is blessing inside the type of semi-strong waste or suspension. The slop should be taken care of a long time before its transfer or use in land. In lion's share of urban areas, the ventures themselves have the inclination to lessen the measure of business effluents before they're discarded into the sewer gadget that conjointly possesses the town spillover in an exceedingly few occasions. This sort of waste in some cases achieves the water cure plants through funneling which can be control helped by exploitation gravity. Bar screen is frequently acclimated get rid of the bigger things and solids; the oil and fat are evacuated to modest degree during this implies.

2. Release of Industrial Waste water in different Areas Of Pakistan:

The industrialization and urbanization have outpaced with natural assurance, similar to elective diverse creating nations. In main districts of Pakistan like Karachi, Faisalabad, Lahore, Sargodha, Multan, Sakhar, the ground water has serious contamination that are released unpredictably with none prohibitive framework by methods for business squanders, emanations and effluents [5]. Untreated transfer of financial squanders remains a standard exercise for assortment of ventures in Pakistan. Exchange squanders are regularly conveyed into open puts down or landfills. Effluents are for the most part conveyed into preparing to little stretches of water, low situated on fields, inside the town waste channels, major debilitating frameworks with modest waterways, streams and inside the completion to the Karachi Ocean. Due to the water pollution significant water borne illnesses went regular in man, women and especially kids [6].

The fundamental assets of genuine gold-bearing contamination are modern effluents (untreated). Any material that incorporates a high thickness and is cytotoxic or harmful is eluded by means of the term genuine steel. Mercury (Hg), (Cd), Arsenic (As), (Cr) and Lead (Pb) are the examples of genuine metals. Normal pieces of the Earth's outside layer are not kidding metals. They can't be corrupted or obliterated. They enter in our bodies through sustenance, refreshment and air, to a minor low degree [7].

Up to excessive concentrations through infected water and/or soil a couple of significant metals accumulate in plants and so input into organic phenomenon [8]. As an impact of human (anthropogenic) exercises, critical metals evidently dwell inside the earth. Because of physical and substance procedures running crosswise over geographic locales, the groupings of critical metals are expanding anthropogenically in near floor soils, they at that point move to shallow water and may change definitely. The examination of noteworthy steel particles inside the surroundings is actually very vital especially in waste waters, [9] thanks to the long continuance,[10] Contamination of urban soils with significant metal salts has been diagnosed a primary issue thanks to human health implication worldwide [11, 12]. Surface and water infection obsessed via vegetation are thanks to significant metals inside the

shape of gases it's launched in scheme and combined fully with soil additives within the form of organic believe and clay particles that have an effect on human health when a specific time [13]. Persistent properties of drugs, production techniques and industry have an inescapable impact on pollution of air, water and fully soil primarily based altogether [14]. Sadly, its miles the index of modernization but it ends up in fluctuation in body, chemical and organic homes of the environment [15].

Table 1: National Environmental Quality Standards (NEWS) For Industrial Effluents [6]

Parameter	Standard	Parameter	Standard
Temperature	40°C	pH value (acidity/basicity)	6-10 pH
5-days Biochemical Oxygen Demand (BOD) at 20°C	80 mg/L	Chemical Oxygen Demand (COD)	150 mg/L
Total Suspended Solids	150 mg/L	Total Dissolved Solids	3500 mg/L
Grease and Oil	10 mg/L	Phenolic Compounds (phenol)	0.1 mg/L
Chloride (Cl)	1000 mg/L	Fluoride (F)	20 mg/L
Cyanide (CN)	2 mg /L	An-ionic detergents (MBAS)	20 mg /L
Sulphate	600 mg/L	Sulphide (S)	1.0 mg/L
Cadmium	0.1 mg/L	Chromium	1.0 mg/L
Copper	1.0 mg/L	Lead	0.5 mg/L
Selenium	0.5 mg/L	Mercury	0.01 mg/L
Ammonia (NH ₃)	40 mg/L	Pesticides, Herbicides, Fungicides and Insecticides	0.15 mg/L
Nickel	1.0 mg /L	Total Toxic Metals	2.0 mg/L
Silver	1.0 mg/L		

3. Waste water Measurements in Pakistan:

Different measures need to be followed because each industrialization and pollution is complementary to each other so that pollutants can be rendered dangerous to the biosphere. On the part of all industries, there's huge unfold reluctance in growing nations as the treatment plants require massive and massive economic investment to treat their wastes. For every human as well as animal or in natural streams, diverse industries were built in Pakistan which leads to unexpected discharge of untreated effluents [8]. Specifically, big towns of Pakistan which include Faisalabad and the cities located near the rivers which uses water for irrigation drain their effluents into rivers immediately [9]. Industrial effluents are discharged and are causing potential contamination to underground water. Waste water treatment plants ought to be set up in the surrounding region for inhabitants of the property, it should be undertaken for environment to appreciate and up bring the thought of working against producing industrial effluents. Social consciousness application and efficient environmental legal guidelines should be provided to inhabitants [10].

3.1 Waste Water Production in Pakistan of Different Sectors:

Table 2: Sector Wise Estimated Waste Water Production in Pakistan [11]

Sr. No.	Source	Volume	Volume
1	Industry	10 ⁶ m ³ y ⁻¹	Percent %
2	Commercial	395	6
3	Urban residential	266	5
4	Rural residential	1628	25
5	Agriculture	3059	48
Total		1036	16
		6414	100

Table 3: Waste Water Produced Annually by Pakistan's populated areas [12]

City	Urban population (1998 census)	Total waste water produced (10 ⁶ m ³ /y)	% of Total	% of Treated	Receiving water body
Lahore	5,143,495	287	12.5	0.01	River Ravi, Irrigation canals, Vegetable Farms
Faisalabad	2,008,861	129	5.6	25.6	River Ravi, River Chenab and Vegetable Farms
Gujranwala	1,132,509	71	3.1	-	SCARP drains, Vegetable Farms
Rawalpindi	1,409,768	40	1.8	-	River Soan and Vegetable Farms
Sheikhupura	870,110	15	0.7	-	SCARP drains
Multan	1,197,384	66	2.9	-	River Chenab, Irrigation canals and Farms

Sialkot	713,552	19	0.8	-	River Ravi, Irrigation canals and Farms
Karachi	9,339,023	604	26.3	15.9	Arabian Sea

Table 4: Essential/Trace/Toxic Metals preset in Samples (mg/L) [12, 13]

Area	Sample code	Na	K	Cu	Zn	Fe	Ca	Pb	As
WHO Standard	_	200	12	1.5	3	0.3	200	0.1	0.05
PIES	S1	11	9	0.5915	6.013	2.2207	260	0.309	0.643
GIES	S2	9	14	0.6197	9.0058	2.0345	450	0.35	0.475
HIES	S3	18	18	0.408	8.0027	3.8001	360	0.275	0.942
Sardar Colony	S4	37	22	0.3662	2.0079	0.269	240	0.096	0.2694
Latifabad	S5	17	15	0.5352	2.0014	0.0414	210	0.12	0.0457
Shinwari Town	S6	30	26	0.3239	2.0029	0.1241	290	0.21	0.3694
GhariRahimabad	S7	25	23	0.3944	2.0037	0.269	280	0.256	0.42
Pakha Ghulam	S8	14	12	0.3803	2.0137	0.2414	290	0.28	0.38

4. Sources of Sewage

Sewage is delivered through different exercises in enterprises, foundations and home territories. The wastewater is created from showers, showers, kitchens loos, and bowls that have outlets into channels. It can likewise contain the contaminants from exchange and venture in a couple of regions. The transforming in of family unit squanders into the dark water and dim water isn't abnormal in cutting edge global areas. This dark water might be reused after solution for be utilized in restrooms. Such a kind of dark water may likewise cause various inconveniences and sicknesses on the off chance that it isn't pleasantly taken care of.[14]

4.1 The Mixing of Sewage with rainwater

Sewage commonly includes city runoff and hurricane water runoff. The sewage structures able to handling typhoon water are known as blended sewer structures and are commonplace in urban areas [15]. They require extremely extra centers and are considered fairly more expensive in comparison to the sanitary sewers. Because of the smaller sizes of sanitary sewers, they have now not the capability to transport storm water; heavy hurricane water may additionally result in overflow. The charge of precipitation additionally varies in unique areas so

performance of sewage treatment flowers in significantly reduced [16]. Those contaminants may be in the form of oil, animal or plant wastes, heavy metals, natural compounds, and dust etc [17].

4.2 Treatment of Industrial Effluents

In developed countries the factories themselves have the installations of industrial waste water treatment plants and the pollutant load of waste water is generally reduced before its discharge.

4.3 Pre-treatment step

Pretreatment evacuates the majority of the materials which can be truly be assembled from the uncooked sewage. Such substances incorporate the refuse, grasses, twigs and heaps of various enormous substances. The enormous articles e.g., plastic parcels, sticks, clothes and jars are easily expelled by methods for going through a bar show screen. The littler or less present day plants utilize a substantially cleaned off presentation simultaneously as the forefront plants include utilizing robotized routinely raked bar screen for this reason. In the event that such materials aren't evacuated they will stop up the channels or different segments of a treatment plant. The amassed solids are at last singed or arranged into the landfill [18].

4.4 Removal of Grit

Grit can also incorporate espresso grounds, heavy metals, sand, bone chips, eggs shells, seeds etc. The grit removal is critical for equipments with carefully machined metal surfaces and to reduce the frequency of digester cleansing. Grit chambers fall into 3 categories: vortex, aerated or horizontal [14].

4.5 Flow equalization

Balance bowls are critical for brief stockpiling of wet-climate float tops. They might be likewise vital for loosing and disseminating clump releases of harmful or high-power squanders. Such bowls require variable release control and may likewise contain aerators. Purging will turn into a perfect mission if the bowl is downstream of coarseness end and screening [19].

4.6 Chemical Precipitation

Synthetic precipitation is one of the most extraordinary comprehensively utilized for overpowering metal removal from inorganic exuding in industry in view of its fundamental movement. These customary substance precipitation methodologies produce insoluble quickens of significant metals as hydroxide, sulfide, carbonate and phosphate. The instrument of this method is basically established on to make insoluble metallic precipitation

through reacting separated metals inside the arrangement and precipitant. In the precipitation procedure great particles are made and synthetic precipitants and coagulants are utilized to manufacture their atom length to discard them as sludge [20, 21]. The precipitation of overwhelming metals in water has been practiced as a high methodology of cure in business waters for a long time. Chemical treatment of sullied groundwater to remediate substantial metals has been acted in section and pilot scale tests. In one such investigate, granulated lime and calcium carbonate had been utilized as coagulants. Inside the final product, through utilizing granulated lime as coagulant, more than 98% of arsenic and nickel had been killed from falsely tainted water. Be that as it may, with granulated calcium carbonate, the expulsion efficiencies of arsenic and nickel were extra than ninety seven% however arsenic elimination efficiency became lower than five% [22].

4.7 Biological methods

Characteristic finish of overpowering metals in wastewater consolidates the use of natural frameworks for the ejection of pollutions from wastewater. On these frameworks microorganisms play a component of settling solids inside the proper reaction. Started ooze, gushing channels, alteration lakes are comprehensively used for treating wastewater. Authorized sludge is the most ordinary elective uses microorganisms in the fix structure to impede down regular material with air course and tumult, and a while later allows solids to settle out. Microbes containing "instituted overflow" is consistently reused back to the air flow bowl to grow the expense of trademark rot. Most of the examinations on considerable metals end in characteristic structures have been facilitated towards the suspended impact authorized sludge technique. Spilling filters which contain beds of coarse media (from time to time stones or plastic) 3-10 ft. significant help to make microorganisms. Wastewater is sprinkled into the (air dissemination), by then allowed to stream through the media and microorganisms demolish down typical substances inside the wastewater. Gushing channels channel in any event and the wastewater is amassed and a short time later encounters sedimentation. Modification lakes or lagoons are consistent, unobtrusive, and for the most part inefficient, normal system that can be used for arranged sorts of wastewater. They depend upon the trading of sunlight, green development, microorganisms, and oxygen [23].

5. Fat and grease removal

The sewage is passed into a little tank where oil and fats are gathered by skimmers. The recuperation of fat might be helped by the utilization of air blowers. After pretreatment water is exposed to a 3 phase procedure, alluded to as essential, optional and tertiary medicines.

5.1 Primary treatment: This system includes the utilization of tranquil bowls where substantial solids are settled down at the base and the lighter solids, oil and oils coast on the water surface. Such settling tanks are generally consolidated with precisely determined scrubbers which convey the gathered slime into a container present in the tank base and afterward into the muck treatment offices. Saponification might be utilized to recuperate the oil and oil. After the expulsion of drifting and settled materials, the auxiliary treatment is connected on the staying fluid.

5.2 Secondary treatment: The suspended and broke up natural substances are disposed of by utilizing auxiliary cure. The natural substances typically stand up from nourishment and human squanders, suppers' squanders, cleansers and cleansers. The civil vegetation ordinarily contains cardio organic strategies to treat the settled sewage alcohol. The microorganisms are disposed of through a particularly planned partition strategy. Auxiliary cure structures are delegated suspended-blast or fixed-motion picture frameworks which may furthermore contain pivoting organic temporary workers, bio-towers, fabricated wetlands and streaming channels. The constant-film device has been in addition modified into included constant-film Activated Sludge (IFAS) approaches and moving mattress Bio movie Reactors (MBBR) [24].

5.3 Tertiary treatment: The tertiary cure is considered as the last cure degree as an approach to improve the sewage charming for its last release into the getting condition (ground, soggy terrains, waterway, ocean, etc.). Tertiary treatment may also include two or three framework. On the off chance that sanitization is rehearsed, it far consistently the last way. It's likewise called "gushing cleaning." This treatment is viewed as a bonus than essential and auxiliary treatment. The dealt with water is sent directly into an exceedingly delicate or unstable condition. it is sometimes sterilized substantial or artificially sooner than its release directly into a wetland, cove or stream or it could be utilized for agrarian capacities [25].




Figure 1: Simplified process flow diagram for a typical large-scale treatment [25].

6. Natural nutrient removal (BNR)

This process has been regarded as secondary or sometimes as a tertiary (or "advanced") treatment process. The release of high levels of nutrients e.g., phosphorus, nitrogen into the environment may result

cause eutrophication and algal bloom. The bacteria consume too much oxygen in order to decompose the algae resulting in deoxygenation; the production of toxins by some algal species is another cause of contamination. So the removal of phosphorus and nitrogen is important [26]. The evacuation of nitrogen includes natural oxidation of nitrogen from smelling salts to nitrate (nitrification) and afterward denitrification to discharge the nitrogen gas into the air and therefore expelled from the water. The ammonia oxidation into nitrite (NO_2^-) ion is commonly facilitated by *Nitrosomonas* spp. Nitrite oxidation to nitrate (NO_3^-) is conventionally facilitated by *Nitrobacter* or now by *Nitrospira* spp. A wide variety of bacteria are used to support denitrification. The reed beds and sand filters can all be applied to decrease the nitrogen level. However, the activated sludge process works most efficiently [27].

7. Phosphorus removal

Each human body discharges around 200-1000g phosphorus every year; different assets of phosphorous comprise of the engineered cleansers and erosion and scale control concoction mixes in water substances. Phosphorus end is fundamental as it goes about as a forbidding supplement for algal assembling. Additionally the intemperate convergence of phosphorous can likewise cause the fouling of downstream gadget comprehensive of inverse assimilation [28].

The Phosphorus evacuation includes the upgraded natural phosphorus expulsion system which utilizes explicit microorganism, known as polyphosphate-aggregating life forms (PAOs) which can possibly develop enormous amounts of phosphorus inside their cells (around 20 % in their biomass). This biomass is at last isolated and utilized as unreasonable value compost. Phosphorus disposal can likewise be cultivated by method for concoction precipitation, utilizing lime, ferric chloride or alum. Despite the fact that the compound expulsion procedure is not so much troublesome but rather more dependable than organic system, yet it is extravagant [29].

8. Disinfection

Sterilization is gone for the expulsion of organisms at interims the denied water before it's miles released came into the setting for water system, washing or exceptional capacities. The presentation of this system (cleansing) relies on the water best (e.g., pH, darkness so on.) experiencing treatment, the sort and portion (time and mindfulness) of disinfectant utilized and elective ecological factors. The cure of overcast water could be a problematic undertaking on account of the established truth vigorous particles shield the bundling of organisms to UV-light; it conjointly involves high contact time. Typically, exorbitant streams, low portions and short piece times all have a course on con to amazing restorative consideration. Typical methodologies of oxides of synthetic component are chlorine, UV, and sanitizer. Sterile is generally used in exceptional water, isn't utilized for the waste water treatment [29].

9. Health Impacts due to Heavy Metals

Metals contact individuals and nature through ecological stalls and the pathways, and human wellbeing and the natural impacts of substantial metals rely on the versatility of every overwhelming metal particle/iota. In

Pakistan, by the assortment of research the defilement fame of overpowering metals is of super concern. The contamination made by substantial metals in veggies, soil, particulate issue, water and dregs are the primary worry of analysts.

Table 5: Health Impacts of Heavy metals on Human Life [30, 31].

Heavy metals	Toxicities	MCL (mg/L)
Arsenic	visceral cancers, vascular disease, Skin manifestations,	0.05
Cadmium	Diarrhea, Kidney damage, human carcinogen, renal disorder, Headache	0.01
Chromium	Headache, nausea, diarrhea ,vomiting,	0.05
Copper	Nausea, Liver damage, Wilson disease, insomnia Dermatitis,	0.25
Nikel	human carcinogen, chronic asthma, coughing	0.20
Zinc	neurological signs and nervous system inabilities Depression, lethargy,	0.80
Lead	diseases of the kidneys, circulatory system and nervous system Rheumatoid arthritis	0.006
Mercury	circulatory system and nervous system, Rheumatoid arthritis, and diseases of the kidneys,	0.00003

9.1 Arsenic

The compounds (inorganic) of arsenic are carcinogenic to human beings. it is poisonous and its organic compound, e.g., mono and di-methyl arsenic acids are feasibly cancer-causing to humans [32].

Arsenic boom numerous risks for developing some of the cancers, generally worried lung, bladder , kidney, colon, pores, skin cancer and cancers of the liver [30, 31].

9.2 Cadmium

Cadmium and its mixtures causes malignancy of the lungs [32]. The found consideration of Cd went from 0.001 to 0.21 mg/L in ground water tests accumulated from various sites of Pakistan. The most extreme critical estimation of 0.21 mg/L was represented inside the models amassed from tube appropriately water of Hayatabad Industries Estate, Khyber Pakhtunkhwa (KPK) domain with a normal of 0.02 mg/L [33, 34]. Various investigations demonstrated the ways achieving Cdss conveyance in squander water tests collected from extraordinary locales of Pakistan. The most noteworthy grouping of 5.35 mg/L Cd in squander water announced from Korangi location, Karachi, passed the affordable furthest reaches of zero.10 mg/L set with the aid of NEQS-Pak for Industrial and sewage squander water [35, 36].

9.3 Lead

Lead (Pb) presentation in children and adults can motive a colossal variety of wellness inconveniences, beginning from little outcomes for processing and expertise to seizures, trance for examines on tumor assessment, inorganic Pb mixes are probably most cancers-inflicting to social order 2a, at the same time as herbal lead mixes are not classifiable as to their most cancers-causing to society [37]. The renditions in the Pb fixation at multiple additives is probably due to visitors load, block furnaces and utilization of leaded fuel [38]. These days, the consideration of Pb in the town air of Islamabad diminished in most current years in mild of the utilization of Pb-loose gasoline, no matter the manner that the Pb content continues on being at an intemperate stage, starting from 0.002 to 4.7 μ g/m [34].

9.4 Nickel

Nickel(Ni) is comprehensively administered in nature and is seen in animals, blossoms and soil; the attention to Ni in soil is about in the extend of four-eight-ppm [32, 39]. With regards to overall boss for contemplates on most growths appraisal, Ni blends are disease-causing to individuals and are sorted as foundation 1. Mixes of Ni metal and blends reason developments of the lung and of the nasal void space and paranasal sinuses [32]. Inside the cutting edge assessment, the consideration of Ni in particulate be checked ended up revealed inside the scope of 0.001-0.15 μ g/m³ and the best of its substance move toward becoming specified in urban condition of Islamabad [34].

9.5 Copper

Copper(Cu) is a fundamental detail and is constantly found in sustenance and in animal liver, which are the main people to dietary prologue to copper. Cu goes around as a reductant inside the synthetic concoctions superoxide dismutase, cytochrome oxidase, dopamine hydroxylase and different unique oxidase that abatement sub-nuclear oxygen [40, 41].

9.6 Chromium

Chromium (Cr) has significance specifically in metallurgical/metallic or shade undertaking. Chromium in its +3 and +6 oxidation state is utilized by and large in shades, metal finishing and wood additives [42]. The harmful kind of Cr occurs in +6 oxidation state. Cr (6) causes illnesses of the nostril and nasal sinuses. It can also cause to people [32].

9.7 Iron

Iron (Fe) is an vital detail in human frame digestion which is going approximately as an impetus and is determined in greater noteworthy sum than some other look at detail. Iron works as a part of several proteins, comprising of catalysts and hemoglobin. The everyday dose of iron for each male and lady is 8mg/day and for grown-united states of America forty five mg/day of Fe, which relies upon on gastrointestinal wretchedness as a terrible impact [32].

9.8 Zinc

Zinc (Zn) is fundamental micronutrient and catalyzes compound's recreation action, adds to protein shape and controls quality explanation [36]. In spite of its usefulness it could be harmful when exposures surpass physiological requirements [43]. The horrendous results related with endless use of supplemental Zn wraps serious gastrointestinal outcomes and migraines, adjustments in lipoprotein and levels of cholesterol and faded copper notoriety [44].

10. Conclusion

As a general rule untreated business waste water containing overwhelming metals like As, Zn, Cr, and Cu debases the floor water high caliber. In Pakistan the vast majority of the floor water which is utilized for home, horticulture and business reason is directed from streams and floor water. The lovely of that water our bodies can't be ensured because of consistent transfer of business squander. There are additional issues over the natural impacts and adapting to of waste material contamination. Many waste texture cure systems, for example physical, concoction, initiated slop strategy, adsorption and so on are done to expel the contamination found in water, anyway there are still a few inconveniences particularly connected with high task charges of these water decontamination procedures. The vigorous waste water treatment has gotten huge enthusiasm because of its low redesign charges, cunning adequacy and incredible capacity for corrupting the contaminants. Various waste water treatment procedures might be actualized to push off contaminants from waste substances like halogenated normal mixes, colossal metals, colors, bug sprays, and herbicides

References:

- [1] G.Vanloon, and S. Duffy, *The hydrosphere. environmental chemistry: a gold perspective*, 2005. 2.
- [2] Momodu, M. and C. Anyakora, *Heavy metal contamination of ground water: The Surulere case study*. Res J Environ Earth Sci, 2010. 2(1): p. 39-43.
- [3] U. Who, *Iccidd. Assessment of iodine deficiency disorders and monitoring their elimination*, 2007. 2.
- [4] J.H. Duffus, " *Heavy metals" a meaningless term?(IUPAC Technical Report)*. Pure and applied chemistry, 2002. 74(5): p. 793-807.
- [5] J. Samina, M. Jaffar, and M. Shah, *Physico-chemical profiling of ground water along Hazara strip, Pakistan*. Journal of the Chemical Society of Pakistan, 2004. 26(3): p. 288-292.
- [6] S. Khan, A.M. Khan, and M.N. Khan, *Investigation of pollutants load in waste water of Hayatabad Industrial Estate, Peshawar, Pakistan*. Pak J Appl Sci, 2002. 2(4): p. 457-61.
- [7] H.A. Azeem, *Analysis of industrial waste water from Kot Lakhpat area (Lahore, Pakistan) by atomic absorption spectrometer*. Biologia (Pakistan), 2009. 55(1&2): p. 35-41.
- [8] F. Caso, *Freshwater supply*. 2010: Infobase Publishing.
- [9] A. Ghafoor, et al., *Chemical composition of effluents from different industries of the Faisalabad city*. Pak. J. Agri. Sci, 1994. 31(4).
- [10] M. Tariq, M. Ali, and Z. Shah, *Characteristics of industrial effluents and their possible impacts on quality of underground water*. Soil Environ, 2006. 25(1): p. 64-69.
- [11] W. et al., Rehman, *Heavy metal pollution assessment in various industries of Pakistan*. Environmental Geology, 2008. 55(2): p. 353-358.

- [12] A. E., et al., Pillay, *Risk assessment of chromium and arsenic in date palm leaves used as livestock feed*. Environment international, 2003. 29(5): p. 541-545.
- [13] R. et al., Khan, *Heavy metal pollution assessment in surface water bodies and its suitability for irrigation around the Neyveli lignite mines and associated industrial complex, Tamil Nadu, India*. Mine Water and the Environment, 2005. 24(3): p. 155-161.
- [14] I. Metcalf, *Wastewater engineering; treatment and reuse*. 2003: McGraw-Hill.
- [15] G. et al., Yuvaraj, *Design Aspects of Adaptive Waste Management System*. 2015.
- [16] V. Novaes, *Assessing the impacts of post-construction best management practices on stormwater runoff in an ultra-urban environment*. 2015: Michigan State University.
- [17] Jr. Burton, G.A. and R. Pitt, *Stormwater effects handbook: A toolbox for watershed managers, scientists, and engineers*. 2001: CRC Press.
- [18] E. Washington, DC: "Primer for Municipal Waste water Treatment Systems." Document no. 2004, EPA 832-R-04-001.
- [19] R. Field, and T.P. O'Connor, *Control strategy for storm-generated sanitary-sewer overflows*, in *Global Solutions for Urban Drainage*. 2002. p. 1-14.
- [20] F. Fu, and Q. Wang, *Removal of heavy metal ions from wastewaters: a review*. Journal of environmental management, 2011. 92(3): p. 407-418.
- [21] Abbaszadeh, B., et al., *Studying of essential oil variations in leaves of Mentha species*. African Journal of Plant Science, 2009. 3(10): p. 217-221.
- [22] M. et al., Lee, *Remediation of heavy metal contaminated groundwater originated from abandoned mine using lime and calcium carbonate*. Journal of hazardous materials, 2007. 144(1-2): p. 208-214.
- [23] S. Babel, and T.A. Kurniawan, *Low-cost adsorbents for heavy metals uptake from contaminated water: a review*. Journal of hazardous materials, 2003. 97(1-3): p. 219-243.
- [24] A. Barwal, and R. Chaudhary, *To study the performance of biocarriers in moving bed biofilm reactor (MBBR) technology and kinetics of biofilm for retrofitting the existing aerobic treatment systems: a review*. Reviews in Environmental Science and Bio/Technology, 2014. 13(3): p. 285-299.
- [25] S. Khopkar, *Environmental pollution monitoring and control*. 2007: New Age International.
- [26] B. Kartal, J.v. Kuenen, and M. Van Loosdrecht, *Sewage treatment with anammox*. Science, 2010. 328(5979): p. 702-703.
- [27] H.R. Harhangi, et al., *Hydrazine synthase, a unique phylomarker with which to study the presence and biodiversity of anammox bacteria*. Appl. Environ. Microbiol., 2012. 78(3): p. 752-758.
- [28] T.K. Das, *Ultraviolet disinfection application to a wastewater treatment plant*. Clean Products and Processes, 2001. 3(2): p. 69-80.
- [29] L.H. Leal, *Removal of micropollutants from grey water: combining biological and physical/chemical processes*. 2010.
- [30] M. Çöl, et al., *Arsenic-related Bowen's disease, palmar keratosis, and skin cancer*. Environmental Health Perspectives, 1999. 107(8): p. 687-689.
- [31] K.H. Morales, et al., *Risk of internal cancers from arsenic in drinking water*. Environmental health perspectives, 2000. 108(7): p. 655-661.
- [32] R.W. Field, and B.L. Withers, *Occupational and environmental causes of lung cancer*. Clinics in chest medicine, 2012. 33(4): p. 681-703.
- [33] M. Lone, et al., *Heavy metal contents of vegetables irrigated by sewage/tubewell water*. Int. J. Agri. Bio, 2003. 5(4): p. 533-535.
- [34] S. Manzoor, et al., *Multivariate analysis of trace metals in textile effluents in relation to soil and groundwater*. Journal of Hazardous Materials, 2006. 137(1): p. 31-37.
- [35] N. Amin, et al., *Heavy metals contamination through industrial effluent to irrigation water in Gadoon Amazai (Swabi) and Hayatabad (Peshawar) Pakistan*. Journal of Scientific Research, 2014. 6(1): p. 111-124.
- [36] A. Waseem, et al., *Pollution status of Pakistan: a retrospective review on heavy metal contamination of water, soil, and vegetables*. BioMed research international, 2014. 2014.
- [37] P. Boffetta, *Human cancer from environmental pollutants: the epidemiological evidence*. Mutation Research/Genetic Toxicology and Environmental Mutagenesis, 2006. 608(2): p. 157-162.
- [38] Y. Faiz, et al., *Road dust pollution of Cd, Cu, Ni, Pb and Zn along Islamabad Expressway, Pakistan*. Microchemical Journal, 2009. 92(2): p. 186-192.
- [39] A.J. Peter and T. Viraraghavan, *Thallium: a review of public health and environmental concerns*. Environment international, 2005. 31(4): p. 493-501.

- 40] A. Kabata-Pendias, *Trace Elements in Soils and Plants*. CRC Press, Taylor and Francis Group. 2011.
- [41] R. Uauy, M. Olivares, and M. Gonzalez, *Essentiality of copper in humans*. The American journal of clinical nutrition, 1998. 67(5): p. 952S-959S.
- [42] P. Trumbo, et al., *Dietary reference intakes: vitamin A, vitamin K, arsenic, boron, chromium, copper, iodine, iron, manganese, molybdenum, nickel, silicon, vanadium, and zinc*. Journal of the Academy of Nutrition and Dietetics, 2001. 101(3): p. 294.
- [43] N.W. Solomons, and M. Ruz, *Trace element requirements in humans: an update*. The Journal of Trace Elements in Experimental Medicine: The Official Publication of the International Society for Trace Element Research in Humans, 1998. 11(2-3): p. 177-195.
- [44] J.J. Otten, J.P. Hellwig, and L.D. Meyers, *Dietary reference intakes: the essential guide to nutrient requirements*. 2006: National Academies Press.

© GSJ