

- Richard, P (1998) Foot and Mouth Disease. The mark veterinary manual 8th Edition mark and Co Inc. White house station NJ, USA, 457-459
- Sahle, M., Dwarka, R. M., Venter, E. H. and Vosloo, W. (2007): Comparison of SAT-1 FMD virus isolates obtained from East Africa between 1971and 2000 with viruses from the rest of sub-Saharan Africa. Arch. Virol.,152:797-804.
- Shanko K., Tesfaye R. and Enquibaher K.(2015): A study on sero prevalence of foot and mouth diseases in West and South West Shoa zones of Oromia regional state, central Ethiopia. Journal of Veterinary Medicine and animal Health Vol. 7(2015) DOI: 10.5897/JVMAH2015. 0403
- Tesfaye, R., 2008. Participatory Appraisal and Seroprevalence study of FMD in Borana Pastoral System, Southern Ethiopia. Msc thesis, FVM, AAU, Debre Zeit, Ethiopia.
- Woodbury, E.L., 1995. A review of the possible mechanisms for the persistence of foot-and mouth disease virus. Epidemiology and Infection, 114: 1-13.
- Yahya M, Hailemariam Z, Amare LB, Rufael T. Seroprevalence of footand mouth, disease in traditionally managed cattle in East and West Hararghe zones, Ethiopia. Rev d'élevage Méd Vét Pays Trop. (2013) 66:19-24. doi: 10.5897/JVMAH 2013.0247.