

- with Hyperemesis Gravidarum. Mansoura University, Egypt. IOSR Journal of Nursing and Health Science 2320–1959.p- ISSN: 2320–1940 Volume 4, Issue 4 Ver. II (Jul. - Aug. 2015), PP 01-09 www.iosrjournals.org DOI.
39. *Smith, C., Crowther, C., Beilby, J. & Dandeaux, J.(2015):* The impact of nausea and vomiting on women: a burden of early pregnancy. Aust N Z J Obstet Gynaecol 2015;40:397–401.CrossRefMedlineGoogle Scholar
 40. *Abdel Ghani, R.M. & Ibrahim, A., T. (2013):* The Effect of Aromatherapy Inhalation on Nausea and Vomiting in Early Pregnancy: A Pilot Randomized Controlled Trial. Journal of Natural Sciences Research ISSN 2224-3186 (Paper) ISSN 2225-0921 (Online) Vol.3, No.6, 2013.
 41. *McParlin C, et al (2017):* Treatments for Hyperemesis Gravidarum and Nausea and Vomiting in Pregnancy: A Systematic Review. Journal of American Medical Association 2017, 316(13), 1392-1401.
 42. *Koren G, Clark S& Hankins GD, et al. (2010):* Effectiveness of delayed-release doxylamine and pyridoxine for nausea and vomiting of pregnancy: a randomized placebo controlled trial. American Journal of Obstetrics & Gynecology. Dec 2010;203(6):571.e571-577.
 43. *Oliveira, L.G., Capp, S.,M., You, W.,B., Riffenburgh, R.,H.& Carstairs., S.,D.(2014):* Ondansetron Compare With Doxylamine and Pyridoxine for Treatment of Nausea in Pregnancy. Obstetris and Gynaecology. 2014;124(4):735-742
 44. *Maltepe, C., Koren, G. (2015):* Preemptive treatment of nausea and vomiting of pregnancy: results of a randomized controlled trial. Obstet Gynecol Int. 2015;2013:809787.
 45. *Tan PC, Khine PP, Vallikkannu N&Omar SZ. (2015):* Promethazine compared with metoclopramide for hyperemesis gravidarum: a randomized controlled trial.Obstetrics & Gynecology. May 2015;115(5):975-981.
 46. *Abas, M.,N., Tan, P.,C., Azmi, N.& Omar SZ. (2014):* Ondansetron compared with metoclopramide for hyperemesis gravidarum: a randomized controlled trial. Obstetrics & Gynecology. Jun 2014;123(6):1272-1279.
 47. *Thomson, M., Corbin, R. & Leung, L. (2016):* Effects of ginger for nausea and vomiting in early pregnancy: a meta-analysis.J Am Board Fam Med. 2016;27(1): 115-122. 59.