[28] Whapham C. A, Blunden G , Jenkins T and Wankins S. D, 1993. Significance of betaines in the increased chlorophyll content of plants treated with seaweed extract Appl Phycology , 5: 231 - 234.

[29] Thirumaran G., M. Arumugam, R. Arumugam and P. Anantharaman 2009. Effect of sea weed liquid fertilizer on growth and pigment concentration of *Cyamopsis tetrogonolaba* L Taub. Am-Euras. J. Agron., 2 (2): 50 -56.

[30] Abdel-Mawgoud, A. M. R., N. H. M, El- Greudy, Y. I. Helmy and S. M. Singer (2007). Responses of tomato plants to different rates of humic based fertilizer and NPK fertilization. J. Applied Sci. Research. 3(2):169-174.

[31] Garcia M. C. V., F. S. Estrella, M. J. Lopez and J. Moreno (2008). Influence of compost amendment on soil biological properties and plants. Dynamic Soil, Dynamic Plant. 1. 1-9.

[32] Mataroiev, I. A. (2002). Effect of humate on diseases plant resistance. Ch.Agri. J. 1:15-16.

[33] Gollan, J. R. and J. T. Wright (2006). Limited grazing pressure by native herbivores on the invasive seaweed caulerpa. Taxi folia in a temperate. Australia Estuary Marine and Freshwater Research. 57(7):685-694.

[34] Turkmen, O., Demir, S., Sensoy, S and Dursun, A. 2005. Effect of arbuscular mycorrhizal fungus and humic acid on the seedling development and nutrient content of pepper grown under saline soil conditions. Journal of Biological Sciences 5 (5): 565-574.

[35] Albayrak, S. and Camas, N. 2005. Effect of different levels and application times of humic acid on root and leaf yield and yield component of forage turpin. Journal of Agronomy 42: 130-133.

[36] Tattini, M., Bertoni, P., Landi, A., Traversim, M.L., 1991. Effect of humic acids on growth and biomass partitioning of container grown olive plants. Acta Horticulturae 294, 75–80.

[37] Vaughan, D. and Malcom R.E. 1985. Influence of humic substances on growth and physiological processes. In: Vaughan, D., Malcom, R.E. (Eds.), Soil Organic Matter and Biological Activity, Martinus Nijhoff/ Junk W,Dordrecht, The Netherlands, pp.31: 37–76.

[38] Chen Y., Aviad T., 1990. Effects of humic substances on plant growth. In: Humic substances in soil and crop sciences: selected readings (MacCarthy P., Clapp C., Malcolm R.L., Bloom P.R., eds). Am Soc Agron, Madison, WI, USA. pp. 161-186.

[39] Muscolo, A., Felicim, M., Concheri, G., Nardi, S., 1993. Effect of earthworm humic substances on esterase and peroxidase activity during growth of leaf explants of Nicotiana plumbaginifiolia. biology and Fertility of Soils 15, 127–131.

[40] Phuong, H.K., Tichy, V., 1976. Activity of humus acids from peat as studied by means of some growth regulator bioassays. Biologia Plantarum 18, 195–199.

[41] Thomas, S. C. L. (1996). Nutrient weeds as soil amendments for organically growth herbs. Jour of Herbs, Spices and Medicinal Plant. 4(1): 3-8.

[42] Attememe. J. Y. A. (2009). The effect of humic acid and sea weed extracts on the growth, chemical characteristics and oil characteristics of *Rosmarinus officinalis* L. the 6th scientific conference, Biology Dept., College of Education , University of Tikrit. Plants Sci. P. 1-17.