

- 72(3): 219-226. flocculation of cardboard-mill secondary biological wastewater. *Chemical Engineering Journal*. 2000; 155(3): 775-783.
39. Renault F, Sancey B, Charles J, Morin crini N, Badot PM. Chitosan flocculation of cardboard-mill secondary biological wastewater. *Chemical Engineering Journal*, 2009; 155(3): 775-783.
40. Shamsnejati S, yChaibakhsh N, Pendashteh AR, Hayeripour S. Mucilaginous seed of *Ocimum basilicum* as a natural coagulant for textile wastewater treatment. *Industrial Crops and Products*. 2015; 69(1): 40-47.
41. Shah AK, Ali ZM, Laghari AJ, Shah SFA. Utilization of Fly Ash as Low-Cost Adsorbent for the Treatment of Industrial Dyes Effluents- A Comparative Study. *Research & Reviews. Journal of Engineering and Technology*. 2013; 2(10): 1-10.
42. Shah SFA, Aftab A, Soomro N, Nawaz MS, Vafai K. Waste Water Treatment-Bed of Coal Fly Ash for Dyes and Pigments Industry. *Pakistan Journal of Analytical & Environmental Chemistry*. 2015; 16(2): 9-15.
43. *Standard Methods for Examination of Water and Wastewater* (19th edn.) American Public Health Association (APHA), Washington DC 1995.