

If the quality of the semiconductors used in these core components are upgraded, it can add more stability to the system and enhance its controllability. The current efficiency as per the simulation results is estimated to be around 65 to 70% for practical applications. Thusly, the efficiency of the device can be further increased by proper placing of the devices on transmission lines and the quality of components used.

References:

- [1] Nikolay A. Belyaev, Nikolay V. Korovkin, Oleg V. Frolov, Vladimir S. Chudny, Methods for optimization of power-system operation modes, Russian Electrical Engineering, N2 2(84), pp. 74-80, February 2013.
- [2] Nikolay A. Belyaev, Nikolay V. Korovkin, Oleg V. Frolov, Vladimir S. Chudny, Optimizing placement of active-adaptive devices in electric power systems, Elektrichestvo (Electricity), 2014, N21 0, pp. 4- II.
- [3] A K Barik, "Power System Stability Improvement Using FACTS Device", International Journal of Modern Engineering Research (IJMER), Vol.1, Issue.2, pp-666-672, August 2011.
- [4] J R Lucas and H Jaha, "Increasing the power transfer capability of an ac transmission line using a parallel small power dc link", Transactions of the IEE Sri Lanka, vol 3, No 2, Apr 2001, p52-55. April 2001
- [5] R. Stephen, T. Gaunt, D. Muftic, R. Marais, P. Naidoo, S. Narain, and A. Hammad, "AC to DC conversion and other techniques to uprate transmission lines based on input from planners," CIGRÉ Session, Paper B2-104, Paris, 2008.
- [6] R. Baldick, and R. P O'Neill, "Estimates of comparative costs for uprating transmission capacity," IEEE Transactions on Power Delivery, vol. 24, no.2, April 2009, pp. 961-969.
- [7] S. Favuzza, F. Massaro, S. Giangreco, and C. Quaciari, "Uprating an overhead line. Italian TSO application for integration of RES," International Conference on Clean Electrical Power, 11-13 June 2013, pp. 470-475.
- [8] Nikolay A. Belyaev, Nikolay V. Korovkin, Vladimir S. Chudny. Mathematical representation of influence of FACTS devices on power supply system performance, Elektrichestvo (Electricity), 2014, N22, pp. 18-24.