

- against antibiotic-resistant *Klebsiella pneumonia*. *Bull. Env. Pharmacol. Life Sci*, 3(3), 17–19. Retrieved from http://www.bepls.com/spl_v_2014/3.pdf
- [46]. Shah, R., Patel, P., Trivedi, G., & Saraf, M. (2018). Cumin : A Natural Drug MINI REVIEW CUMIN : A NATURAL DRUG. *Sarafmeenu@gmail.Com*, (March), 1–12.
- [47]. Sharan, A. M. (2016). The Pharmacopoeia of AYURVEDA. *PHARMACOPOEIA COMMISSION FOR INDIAN MEDICINE & HOMOEOPATHY*, 9(1), 1–146. Retrieved from [http://ayush.gov.in/sites/default/files/Ayurvedic Pharmacopoeia of India part 1 volume IX.pdf](http://ayush.gov.in/sites/default/files/Ayurvedic%20Pharmacopoeia%20of%20India%20part%201%20volume%20IX.pdf)
- [48]. Srinivasan, K. (2018). Cumin (*Cuminum cyminum*) and black cumin (*Nigella sativa*) seeds: Traditional uses, chemical constituents, and nutraceutical effects. *Food Quality and Safety*, 2(1), 1–16. <https://doi.org/10.1093/fqsafe/fyx031>
- [49]. Verma, S. (2016). A REVIEW STUDY ON VALUABLE AYURVEDIC PLANT CUMINUM CYMINUM LINN: APIACEAE. *World Journal of Pharmaceutical and Life Sciences*, 2(6), 108–113.
- [50]. Yimer, E. M., Tuem, K. B., Karim, A., Ur-Rehman, N., & Anwar, F. (2019). *Nigella sativa* L. (Black Cumin): A Promising Natural Remedy for Wide Range of Illnesses. *Evidence-Based Complementary and Alternative Medicine*, <https://doi.org/10.1155/2019/1528635>, 1–16. <https://doi.org/10.1155/2019/1528635>
- [51]. Zheljazkov, V. D., Gawde, A., Cantrell, C. L., Astatkie, T., & Schlegel, V. (2015). Distillation time as tool for improved antimalarial activity and differential oil composition of cumin seed oil. *PLoS ONE*, 10(12). <https://doi.org/10.1371/journal.pone.0144120>