































- [12] Lasee, A., & Becker, S. (2017). Husband wife communication about family planning and contraceptive use in Kenya. *Int. Family Planning Perspective*, 23 (15): 20-33.
- [13] Liberhan, T. (2013). Common Advocacy Plan for Expanding Contraceptive Choice in India. Gurgaon: Futures Group, Health Policy Project.
- [14] Nisingizwe, M., Iyer, H., Gashayija, M., Amoroso, C., Wilson, R., Rubyutsa, E., . . . Muhire, A. (2014). Toward utilization of data for program management and evaluation: Quality assessment of five years of health management information system data in Rwanda. *Global Health Action*, 7(1).
- [15] Osaro, B. O., & Mezie-Okoya, M. (2017). Knowledge of modern contraceptives and their use among ruralwomen of childbearing age in Rivers State, Nigeria. *Annals of Tropical Medicine and Public Health*, 10 (4) 1043-1048.
- [16] Santhya, K. (2014). Changing Family Planning Scenario in India. *Regional Health Forum WHO South-East Asia Region*, 8(1).
- [17] Swamy, H. (2017). A qualitative study on determinants of choice of contraceptives in a rural. *International Journal Of Community Medicine And Public Health*, 4(6), 1943.
- [18] Vouking, Z., & Tadenfok, N. (2014). Male Involvement in Family Planning Decision Making in Sub-Saharan Africa – What the Evidence Suggests. *The Pan African Medical Journal*, 19:349.
- [19] WHO. (2018). *Family Planning: A Global Handbook for Providers*. Geneva: World Health Organization.
- [20] World Health Organization. (2012). *Contraception fact sheet: Human Reproduction Programme*. Retrieved from [http://apps.who.int/iris/bitstream/10665/112319/1/WHO\\_RHR\\_14.07\\_eng.pdf%0Ahttp://apps.who.int/iris/bitstream/10665/112319/1/WHO\\_RHR\\_14.07\\_eng.pdf?ua=1](http://apps.who.int/iris/bitstream/10665/112319/1/WHO_RHR_14.07_eng.pdf%0Ahttp://apps.who.int/iris/bitstream/10665/112319/1/WHO_RHR_14.07_eng.pdf?ua=1)
- [21] Wulifan, J. K., Brenner, S., Jahn, A., De Allegri, M., Najafi, F., Abdul Rahman, H., . . . Fagbamigbe, A. (2018). Unmet needs for contraception in married women in a tribal area of India. *International Journal of Advanced Research*, 5(1), 77-89.