























- (6). Tadesse, T.2000. Drought and its predictability in Ethiopia. In: Wilhite, D.A. (Ed.), Drought: A Global Assessment. 1: 135-142.
- (7). NMSA .1996. Climate and Agro climatic Resources of Ethiopia: Meteorological Research Report Series.Vol.1, No. 1, Addis Ababa.
- (8). Temesgen. F. 2014. White Mango Scale, *Aulacaspis tubercularis*, Distribution and Severity Status in East and West Wollega Zones,Research Journal vol.3 Department of Plant Sciences, Shambu, Western Ethiopia .Wollega University
- (9). Getinet,K. And Woldeamlak ,B. 2009. Variations in rainfall and extreme event indices in the western part of Ethiopia .Wollega University ,Nekemte , Ethiopia
- (10). Dixon, A.B. 2005. Wetland sustainability and the evolution of indigenous knowledge in Ethiopia. *The Geographical Journal* 171(4): 306-323.
- (11).Stern,R.,Rijks,D.,Dale,I.andKnock,J.2006.*INSTATclimaticguide*.StatisticalServicesCentre,The University of Reading, andUK.Vol.1.NO.1
- (12). Hadgu Gebre, TesfayeK., MamoG.andKassaB.2013.*Trendand variability of rainfall in Tigray, Northern Ethiopia: Analysis of meteorological data and farmers' perception. Academically Journal of Environmental Science* 1(8): 159-171
- (13). NMSA. 2001. *Report submitted to initial national communication of Ethiopia to the United Nations Framework Convention on Climate Change*, Addis Ababa, Ethiopia.
- (14). McSweeney, C., New, M., Lizcano G. and UNDP. 2008. Climate change country profiles: Ethiopia. ([http://country-profiles.geography .ox.acadamy.uk](http://country-profiles.geography.ox.acadamy.uk)). Accessed on April 5, 2021.