

























- [3] Ladner, J., Besson, M. H., Hampshire, R., Tapert, L., Chirenje, M., & Saba, J. (2012). Assessment of eight HPV vaccination programmes implemented in lowest income countries. *BMC Public Health*, 12, 370.
- [4] Louie, K.S., de Sanjose, S., & Mayaud, P. (2009). Epidemiology and prevention of human papillomavirus and cervical cancer in sub-Saharan Africa: A comprehensive review. *Trop Med Int Health*, 14, 1287-1302.
- [5] World Health Organization (WHO) (2016). *Human Papillomavirus and Related Cancers in World. Summary Report*. Geneva, Switzerland: World Health Organisation.
- [6] World Health Rankings (2013). *Top 20 causes of death Swaziland: Cervical Cancer*. World Health Organization.
- [7] Alliance for Cervical Cancer Prevention (ACCP) (2009). *Cervical Cancer Prevention FACT SHEET: New evidence on the impact of cervical cancer screening and treatment using HPV DNA tests, visual inspection, or cytology*. Alliance for Cervical Cancer Prevention.
- [8] Sherris, J., Wittet, S., Kleine, A., Sellors, J., Luciani, S., Sankaranarayanan, R., & Barone, M. A. (2009). Evidence-based, alternative cervical cancer screening approaches in low-resource settings. *International perspectives on sexual and reproductive health*, 35(3), 147-152.
- [9] Rockville, M. D. (2011). *Agency for Healthcare Research and Quality (US)*. Report No.: 11-05157-EF-1.
- [10] GLOBOCAN (2008). *Cancer incidence, mortality and prevalence worldwide*. IARC Cancer Base no 5, version 2.0. Lyon, France: IARC Press.
- [11] International Agency for Research on Cancer (IARC) (2008). *Globocan Database 2008*. International Agency for Research on Cancer.
- [12] Arbyn, M., Castellsagué, X., de Sanjosé, S., Bruni, L., Saraiya, M., Bray, F., & Ferlay, J. (2011). Worldwide burden of cervical cancer in 2008. *Annals of oncology*, 22(12), 2675-2686.
- [13] Saslow, D., Boetes, C., & Burke, W. (2008). American Cancer Society; guidelines for early detection of cancer. *Cancer Journal for Clinicians*, 18(7), 58-72.
- [14] Gichangi, P., Estambale, B., Bwayo, J., Rogo, K., Ojwang, S., Opiyo, A., & Temmerman, M. (2003). Knowledge and practice about cervical cancer and Pap smear testing among patients at Kenyatta National Hospital, Nairobi, Kenya. *International Journal of Gynaecological Cancer*, 13(6), 827-33.
- [15] Were, E., Nyaberi, Z., & Buziba, N. (2011). Perceptions of risk and barriers to cervical cancer screening at Moi Teaching and Referral Hospital (MTRH), Eldoret, Kenya. *African health sciences*, 11(1), 58-64.
- [16] Huchko, M. J., Bukusi, E. A., & Cohen, C. R. (2011). Building capacity for cervical cancer screening in outpatient HIV clinics in the Nyanza province of western Kenya. *International Journal of Gynaecology & Obstetrics*, 114(2), 106-110.
- [17] Aboyeji, P. A., Ijaiya, M. D. A., & Jimoh, A. G. A. (2004). Knowledge, attitude and practice of cervical smear as a screening procedure for cervical cancer in Ilorin, Nigeria. *Trop J Obstet Gynaecol*, 21, 114-117.
- [18] Abotchie, P. N., & Shokar, N. K. (2009). Cervical cancer screening among college students in Ghana: knowledge and health beliefs. *International Journal of Gynaecological Cancer*, 19, 412-416.
- [19] Lyimo, F. S., & Beran, T. N. (2012). Demographic, knowledge, attitudinal, and accessibility factors associated with uptake of cervical cancer screening among women in a rural district of Tanzania: three public policy implications. *BMC Public Health*, 12, 22. doi: 10.1186/1471-2458-12-22.
- [20] Mutyaba, T., Faxelid, E., Mirembe, F., & Weiderpass, E. (2009). Influences on uptake of comprehensive care centre in Nsangi community of Uganda and their implications for cervical cancer screening. *Prev Chronic Dis*, 12(3), 1057-1094.
- [21] Ombech, E. A. & Mugai Anne W.T, Wanzala, P. (2012). Awareness of cervical cancer risk factors and practice of Pap smear testing among female primary school teacher's in Kasarani division, Nairobi Kenya. *African Journal of Health Sciences*, 21, 121-132.
- [22] Ngugi, C. W., Boga, H., Muigai, A. W., Wanzala, P., & Mbithi, J. N. (2012). Factors Affecting Uptake of Cervical Cancer Early Detection Measures Among Women in Thika, Kenya. *Health Care for Women International*, 33(7), 595-613.
- [23] Gichogo, A. (2012). *Factors influencing utilization of cervical cancer screening services at Central provincial General Hospital, Nyeri, Kenya* (Doctoral Dissertation). University of Nairobi.
- [24] World Health Organization (WHO) (2014). *Comprehensive cervical Cancer Control*. Geneva, Switzerland: World Health Organization.
- [25] World Health Organization (WHO) (2013). *Women's health Fact sheet N°334*. WHO.
- [26] Parham, G. P., Mwanahamuntu, M. H., Shahasrabudde, V. V., Westfall, A. O., King, K. E., & Chibwesa, C., ... Chi, B. H. (2014). Implementation of cervical cancer prevention services for HIV/AIDS -infected women in Zambia: measuring program effectiveness. *HIV Ther.*, 4(6), 703-722. doi: 10.2217/hiv.10.52
- [27] Olanyika, B. O., & Lynette, D. (2005). Abnormal Cytology in HIV/AIDS-Positive Women Referred for Colposcopy: Analysis of Cytology-colposcopy-histology correlation. *Tropical Journal of Obstetrics and Gynaecology*, 22(2), 129-132.
- [28] Franceschi, S., & Jaffe, H. (2007). Cervical Cancer Screening of Women Living with HIV/AIDS Infection: A Must in the Era of Antiretroviral Therapy. *Clinical Infectious Diseases*, 45, 510-3.
- [29] Fisher, L. D. (1998). Self-designing clinical trials. *Statistics in Medicine*, 17, 1551-1562.
- [30] Assoumou, S. Z., Mabika, B. M., Mbiguino, A. N., Mouallif, M., Khattabi, A., & Ennaji, M. M. (2015). Awareness and knowledge regarding cervical cancer, Pap smear screening and human papillomavirus infection in Gabonese women. *BMC Women's Health*, 15, article 37.
- [31] Adibe, M. O., & Aluh, D. O. (2018). Awareness, knowledge and attitudes towards cervical cancer amongst HIV-positive women receiving care in a Tertiary Hospital in Nigeria. *Journal of Cancer Education*, 33(6), 1189-1194.
- [32] SIMElab Africa (2019). *Social Media Consumption in Kenya: Trends and Practice*. SIMElab Africa.
- [33] Anorlu, R., Adegbesan, M., & Adaramewa, T. (2010, October). Knowledge of HPV and cervical cancer among HIV-positive women in Lagos, Nigeria. In *Infectious Agents and Cancer* (Vol. 5, No. 1, pp. 1-1). BioMed Central.
- [34] Wright, K. O., Aiyedehin, O., Akinyinka, M. R., & Ilozumba, O. (2014). Cervical cancer: community perception and preventive practices in an urban neighbourhood of Lagos (Nigeria). *International Scholarly Research Notices*, 2014.
- [35] Mboumba, B. R. S., Prazuck, T., & Lethu, T. (2017). Cervical cancer in sub-Saharan Africa: a preventable non-communicable disease. *Expert Rev Anti Infect Ther*, 15, 613-627.
- [36] Bessler, P., Aung, M., & Jolly, P. (2007). Factors affecting uptake of cervical cancer screening among clinic attendees in Trelawny, Jamaica. *Cancer Control*, 14, 396-404.
- [37] Eze, J. N., Umeora, O. U., Obuna, J. A., Egwuatu, V. E., & Ejikeme, B. N. (2012). Cervical cancer awareness and cervical screening uptake at the Mater Misericordiae Hospital, Afikpo, Southeast Nigeria. *Annals of African medicine*, 11(4), 238.
- [38] Jia, Y., Li, S., Yang, R., Zhou, H., Xiang, Q., Hu, T., ... & Feng, L. (2013). Knowledge about cervical cancer and barriers of screening programme among women in Wufeng County, a high-incidence region of cervical cancer in China. *PLoS one*, 8(7), e67005.