

References

- ANSI/ASHRAE. (2010). *Thermal Environmental Conditions for Human Occupancy*. Retrieved from Ashrae Corporation website: <https://www.ashrae.org/technical-resources/bookstore/standard-55-thermal-environmental-conditions-for-human-occupancy>
- Borelli, F., Bemporad, A., & Morari, M. (2010). *Constrained optimal control and predictive control for linear and hybrid systems*. Zurich: Springer.
- Bracke, W., Delghust, M., Laverge, J., & Janssens, A. (2019). A. Building energy performance: Sphere area as a fair normalization concept. *Building Resources Infrastructure*, 47: 549-566.
- Department of Alternative Energy Development and Efficiency. (2008). *Thailand Energy Situation*. Thailand: Minister of Energy.
- Doctor-Pingel, M., Vardhan, V., Manu, S., Brager, G., & Rawal, R. (2019). A study of indoor thermal parameters for naturally ventilated occupied buildings in the warm-humid climate of southern India. *Journal of Building Environment*, 151: 1-14.
- Fanger, P. O. (2017). Thermal comfort analysis and applications in environmental engineering. *Thermal Comfort Analysis and Applications in Environmental Engineering*.
- Freire, R. Z., Oliveira, G. H., & Mendes, N. (2008). Predictive controllers for thermal comfort optimization and energy savings. *Energy and Buildings*, 40(7): 1353-1365.
- Hoyt, T., Arens, E., & Zhang, H. (2015). Extending air temperature setpoints: Simulated energy savings and design considerations for new and retrofit buildings. *Journal of Building Environment*, 88: 89-96.
- Liu, J., & Lin, B. (2011). Case study – how could we optimize the energy-efficient design for an extra-large railway station with a comprehensive simulation. *International Building Performance Simulation Association*, 498-505.
- Maripuu, M.-L. (2009). *Demand controlled ventilation (DCV) in commercial buildings*. Sweden: Chalmers University of Technology.
- Omer, A. (2008). Energy, environment and sustainable development. *Renew. Sustain. Energy Rev.* , 12: 2265-2300.
- Prívará, S., Siroký, J., Ferkl, L., & Cigler, J. (2010). Model predictive control of a building heating system: The first experience. *Journal of Energy and Buildings*, 43(3): 564-572.
- Song, L., Wang, Y., & Li, X. (2016). Energy performance and environmental quality of typical railway passenger stations in northern China. *Indoor Building Environment*, 27: 296-307.
- Wang, Z., Lin, B., & Zhu, Y. (2011). An Evaluation Method for Energy Efficiency Design of the Building Envelope of New Railway Stations. *International Symposium on Heating, Ventilating and Air Conditioning*, pp. 171-176.
- Yu, V., & Loftness, D. (2013). Multi-structural fast nonlinear model-based predictive control of a hydronic heating system. *Journal of Building and Environment*, 69: 131-148.
- Zhou, N., & Lin, J. (2008). The reality and future scenarios of commercial building energy consumption in China. *Energy Build*, 40: 2121-2127.