

















implement this project. This work is unique based on the fact that most research works considered off grid system while the present work analyzed a grid connected system which would be used to supply power to the university campus.

The conclusion from this study is that incorporating hybrid to a power supply system would contribute in the reduction of the operating cost.

## References

- [1] Islam, M. S. (2013). Economic Feasibility Analysis of Electrical Hybrid Grid in a city area. *Proceedings of IEE Southeastcon*, 1-6.
- Administrator. (2015). *4-Different Power Converters*. Retrieved from Electronics Hub: <https://www.electronicshub.org/4-different-power-electronic-converters>
- W.-K.Chen, *Linear Networks and Systems*. Belmont, Calif.: Wadsworth, pp. 123-135, 1993. (Book style)
- [2] AG, S. (2015). *smartgrid*. Retrieved from Microgrids Available:Siemens AG, Microgrids Available
- [3] Googleearth. (2019). *Port Harcourt Map — Satellite Images of Port Harcourt*. Retrieved from googleearth: [www.googleearth.com](http://www.googleearth.com)
- [4] NASA. (2018). *Surface Meteorology and Solar EnergyEarth Science*. Retrieved from NASA open data portal: <https://data.nasa.gov/Earth-Science/Surface-Meteorology-and-Solar-Energy/wn3p-qsan>