

- [4] Tkachenko,A. Cabric, D. and Brodersen, R. W. (2007) “Cyclostationary Feature Detector Experiments Using Reconfigurable BEE2,” in 2007 2nd IEEE International Symposium on New Frontiers in Dynamic Spectrum Access Networks, pp. 216–219.
- [5] Enserink S. and Cochran,D. (1994) “A cyclostationary feature detector,” in Proceedings of 1994 28th Asilomar Conference on Signals, Systems and Computers, vol. 2, pp. 806–810 vol.2.
- [6] Mariani, A. Giorgetti, A. and Chiani, M. (2010), “Energy detector design for cognitive radio applications,” in Proc. 2010 IEEE Int. Waveform Diversity & Design Conf., pp. 53–57.
- [7] Urkowitz, H. (1967), “Energy detection of unknown deterministic signals,” Proceedings of the IEEE, vol. 55, no. 4, pp. 523–531.
- [8] Sonnenschein A. and Fishman, P. M. (1992), “Radiometric detection of spread spectrum signals in noise of uncertain power,” IEEE Trans. Aerosp. Electron. Syst., vol. 28, no. 3, pp. 654–660.
- [9] Tandra R. and Sahai. A. (2008), SNR walls for signal detection. Selected Topics in Signal Processing, IEEE Journal of, 2(1):4–17.
- [10] Tandra R. and Sahai, A. (2005), “Fundamental limits on detection in low SNR under noise uncertainty,” in Proc. 2005 IEEE Int. Conf. Wireless Netw., Commun. Mobile Comput., pp. 464–469.