

References

- [1] Farooq. D and Akram T. (2017). Traffic Flow Analysis and Solutions to Ease Traffic Flow at Unsignalized Taxila Intersection. *Periodica Polytechnica Transportation Engineering*, 101-107.
<https://doi.org/10.3311/PPtr.10415>
- [2] Policepatil. S.A., Vishal, Roopa, Suresh, Shrishail and Inganakal. S.K. (2018) Traffic Volume Study of Kalaburagi, Karnataka. *International Research Journal of Engineering and Technology (IRJET)*
- [3] Atomode. T.I. (2013). Assessment of Traffic Delay Problems and Characteristics at Urban Road Intersections: A Case Study of Ilorin, Nigeria. *IOSR Journal of Humanities and Social Science*, 06-16.
<https://doi.org/10.9790/0837-1240616>
- [4] Corriere. F., and Guerrieri. M., Performance Analysis of Basic Turbo-Roundabouts in Urban Context. *Procedia - Social and Behavioral Sciences*, 622 – 632.
<https://doi.org/10.1016/j.sbspro.2012.09.912>
- [5] Lal, G., Divya, L. G., Nithin, K. J., Mathew, S., & Kuriakose, B. (2016). Sustainable Traffic Improvement for Urban Road Intersections of Developing Countries: A Case Study of Ettumanoor, India. *Procedia Technology*, 115–121.
<https://doi.org/10.1016/j.protcy.2016.08.088>
- [6] Giuseppe Cantisani. G., Loprencipe. G. and Primieri. F. (2011). THE INTEGRATED DESIGN OF URBAN ROAD INTERSECTIONS: A CASE-STUDY. *International Conference on Sustainable Design and Construction*.
[https://doi.org/10.1061/41204\(426\)88](https://doi.org/10.1061/41204(426)88)
- [7] AASHTO. (2004). *A Policy on Geometric Design of Highways and Streets*. 5th Edition, Washington, D.C.
- [8] *Highway Capacity Manual*. (1997). 3rd Edition, Transportation Research Board, National Research Council, Washington, D.C.