

8. Pugh, G. J., & Evans, M. D. (1970). Keratinophilic fungi associated with birds. I. Fungi isolated from feathers, nests and soils. *Transactions of the British Mycological Society*, 233-240.
9. Robbins, C. R. (2012). *Chemical and Physical Behavior of Human Hair*. Heidelberg: Springer.
10. Sharma, M., Sharma, M., & Rao, V. M. (2011). In vitro biodegradation of keratin by dermatophytes and some soil keratinophiles. *African Journal of Biochemistry Research*, 5, 1-6.
11. Shiming, L. (2002). The utilization of human excreta in Chinese agriculture and the challenge faced. *EcoSanRes*, 1-4.
12. Staib, F., & Evangelinos, P. (1968). The occurrence of gepphlic dermatpphytes in the region of Würzburg. *Zentralblatt für Bakteriologie*, 528-540.
13. *Tnau Agritech Portal*. (2022, March 15). Retrieved from https://agritech.tnau.ac.in/agriculture/agri_soil_soilratingchart.html
14. Zheljzakov, V. D., Silva, J. L., Patel, M., Stojanovic, J., Lu, Y., Kim, T., & Horgan, T. (2008). Human hair as a nutrient source for horticultural crops. *Hort Technology*, 592-596.