



















- [7] Gonzales F, Gonzales R (2014). Yield Performance of Chickpea (*Cicer arietinum* L.) Varieties across Locations. Philippines Cordillera Region. International Journal of Scientific & Engineering Research, Volume 5:1548-1554.
- [8] Guler M, Adak MS, Ulukan H (2001). Determining relationships among yield and some yield components using path coefficient analysis in chickpea (*Cicer arietinum* L.). European Journal of Agronomy 14:161-166.
- [9] MOANR (Ministry of Agriculture and Natural Resources) (2016). Plant variety release, protection and seed quality control directorate. Crop variety register. Addis Ababa, Ethiopia. pp.102-105.
- [10] MOANR (Ministry of Agriculture and Natural Resources) (2017). Plant variety release, protection and seed quality control directorate. Crop variety register. Addis Ababa, Ethiopia. Pp.1025-130.
- [11] Mohsen Z (2015). Evaluating yield and yield components of chickpea genotypes in autumn cultivation under complementary irrigation regime and winter sowing in Mashhad. Agric. sci. dev 4 (2): 11-15.
- [12] Moussa EH, Millan T, Moreno MT (2000). Genetic analysis of seed size, plant height, day to flower and seed/plant by using both morphological and molecular markers in chickpea. Journal of Genetics and Breeding 54:101-107.
- [13] SAS (Statistical Analysis System) (2008). Statistical Analysis System. SAS institute version 9.20 Cary, NC, USA. Available at: <http://www.sciepub.com/reference/140680>.
- [14] Temesgen A (2007). Genetic variability and association among seed yield and yield-related traits in Kabuli Chickpea (*Cicer arietinum* L.) Genotypes. M.Sc. Thesis. Haramaya University, Ethiopia.
- [15] Varshney RK, Song C, Saxena RK, Azam S, Sharpe AG, Cannon S, Baek J, Rosen BD (2013). Draft genome sequence of chickpea (*Cicer arietinum*) provides a resource for trait improvement. Nature Biotechnology 31: 240–248.
- [16] Yadeta A, Geletu B (2002). Evaluation of Ethiopian chickpea landraces for tolerance to drought. Genetic Resources and Crop Evolution 49:557-564.
- [17] Yasin G, Mathewos A (2016). Yield performance and adaptation of desi chickpea varieties in selected districts of Wolayta and Hadiya Zones of South Ethiopia. journal of international research granthaalayah 4(5) 2394-3629.
- [18] Yasin G. (2014). Evaluation of chickpea (*Cicer arietinum* L.) varieties for yield performance and adaptability to Southern Ethiopia. Journal of Biology, Agriculture and Healthcare 4(3): 17-25.
- [19] Yucel DO, Anlarsal AE, Yucel C (2006). Genetic variability, correlation and path analysis of yield and yield components in chickpea. Turkey Journal of Agricultural forestry 30:183-188. Mirza H, Fazlul K, Quazi A, Kamrun N (2007). Yield Performance of Chickpea Varieties Following Application of Growth Regulator. Bangladesh. American-Eurasian Journal of Scientific Research 2 (2): 117-120.