



















conducted enable us to determine the location and magnitude of stresses, pattern of internal energy. The shear stress and equivalent stress is lower till deformation occurs and then increases suddenly when deformation is restricted by die.

### References

[1]. Bahloul, R., Mkaddem, A., Dal Santo, P. and Potiron, A., 2006. Sheet metal bending optimisation using response surface method, numerical simulation and design of experiments. International journal of mechanical sciences, 48(9), pp.991-1003.

[2]. Guo, Y.Q., Batoz, J.L., Detraux, J.M. and Duroux, P., 1990. Finite element procedures for strain estimations of sheet metal forming parts. International Journal for Numerical Methods in Engineering, 30(8), pp.1385-1401.

[3]. Karafillis, A.P. and Boyce, M.C., 1996. Tooling and binder design for sheet metal forming processes compensating springback error. International Journal of Machine Tools and Manufacture, 36(4), pp.503- 526.

[4]. Amir Atrian, Faramarz Fereshteh-Saniee; "Deep drawing process of steel/brass laminated sheets"; Composites: Part B; volume- 47 (2013); pp-75-81.

[5]. Chung, K. and Shah, K., 1992. Finite element simulation of sheet metal forming for planar anisotropic metals. International Journal of Plasticity, 8(4), pp.453-476.

[6]. Saniee F. Fereshteh, Montazeran M.H., "A Comparative Estimation of the Forming Load in the Deep Drawing Process", Journal of Materials Processing Technology, vol. 140, pp 555–561, 2003

[7]. Jabbar **Gattmah** "Sheetmetal forming process for various materials using Finite Element Analysis" 1st International Conference on Advances in Mechanical and Mechatronics Engineering , ICAMMEN 2018