

- Yan W, Hunt L, Sheng Q, Szlavnic Z.2000. Cultivar evaluation and mega-environment investigation based on the GGE biplot. *Crop Sci.* 40(3):597–605
- Yan W, Kang MS, Ma B, Wood S, Cornelius PL .2007. GGE biplot vs. AMMI analysis of genotype-by environment data. *Crop Science* 47:643-655.
- Yan W, LA Hunt, Q Sheng and Z Szlavnic, 2000. Cultivar evaluation and mega-environment investigation based on the GGE biplot. *Crop Science* 40:597-605.
- Yan W, MS Kang, B Ma, S Woods and Cornelius PL.2007. GGE biplot vs AMMI analysis of genotype by environment data. *Crop Sci.* 47:643-655.
- Yan, W. and Hunt, L.A. 2001. Interpretation of genotype \times environment interaction for winter wheat yield in Ontario. *Crop Sci.* 41(1): 19-25.
<https://doi.org/10.2135/cropsci2001.41119x>
- Yan, W. and L. A. Hunt .2001. Interpretation of genotype \times environment interaction for winter wheat yield in Ontario. *Crop Science*, 41 (1), pp. 19-25.
- Yan, W., and M.S. Kang. 2003. GGE biplot analysis: a graphical tool for breeders, geneticists, and agronomists. CRC Press.
- Yonas B and Bayetta B .2008. Genotype by environment interaction and stability analysis of Arabica genotypes. In *Proceeding of Coffee Diversity and Genotype Knowledge Workshop EIAR*. pp. 58-83.
- Yonas B, Bayetta B and Chemed F .2014. Stability analysis of bean yields of Arabica coffee genotypes across different environments. *Greener J. Plant Breed. Crop Sci.* 2 (2): 018-026.