

- [11] C. L. Angell, The biology and culture of tropical oysters. ICLARM Studies and Reviews 13. 42p, 1986.
- [12] A. Inyang and K. Effiong, Biochemical composition of an estuarine Oyster, (*Ostrea*: Lamarck). *Thais Califera* var. *Coronata* (Lamarck) and *Senilia senilis* (Linnaeus) in a mangrove swamp of Eastern Obolo, Niger Delta. *J. Mar. Biol. Oceanography*. 6:2, 2007. <https://doi.org/10.4172/2324-8661.1000170>
- [13] J. H. Enemugwem, Oil Pollution and Eastern Obolo Human Ecology. *International Multi-Disciplinary Journal* 3(1): 136-151, 2009.
- [14] M. Cheesbrough, Medical Laboratory Manual. Tropical Health Technology. Low Priced Edition, Dordington, Cambridgeshire, 20-35, 2003
- [15] AOAC, Official Methods of Analysis, Association of Official Analytical Chemists Washington DC USA, Edited by Sidney Williams 14th Edition. Pp 844, 2004.
- [16] M. Fawole and A. Osho, Laboratory methods in microbiology. Books Ltd; Nigeria. Pp 34-35, 1995.
- [17] A. Merrill, and B. K. Watt, *Energy value of foods: Basis and derivation*. Washington DC: Human Nutrition Research Branch, Agricultural Research Service, U.S. Dept. of Agriculture, 1973.
- [18] K. C. A. Jacal, M. Najiah, M. Fathiyah, Y. Kama Ruzzama, N. O. Mohd, S. M. Nurulamin and I. Jaswir, Bacterial Pollution in Molluscs Arch Clam, Orbicularia and Bloody Cockle, *Amadara granosa* of Patieng Estuary, Malaysia. *Journal of Biological Science*. 9:841-840, 2009.
- [19] K. Kushwaha, D. Babu, and V. K. Juneja, *Proteus*, In: Encyclopaedia of Food Microbiology by Batt, C. A. and Tortorello, M. L. (Second Edition), Academic Press, Pp 238-243, 2014, <https://doi.org/10.1016/B978-0-12-384730-0.00281-0>
- [20] N. Nuñez, *Micrococcus*, In: Encyclopaedia of Food Microbiology, by Batt, C. A. and Tortorello, M. L. (Second Edition), Academic Press, Pp. 627-633, 2014. <https://doi.org/10.1016/B978-0-12-384730-0.00206-8>
- [21] A. K. Surendraraj, H. S. Farvin, R. Yathavamoorthi and N. Thampuran, Enteric bacteria associated with farmed freshwater fish and its culture environment in kerala, *India. Res. J. Microbiol.*, 4: 334-344, 2009.
- [22] L. Zhai, Y. Zhou, Y. Wu, *et al* Isolation and identification of *Candida tropicalis* in sows with fatal infection: a case report. *BMC Vet Res* 17, 108, 2021. <https://doi.org/10.1186/s12917-021-02821-0>.
- [23] C. Sonu, Recovery of *Salmonella* and *Shigella* isolates in Drinking Water. *European Journal of Experimental Biology*, 5(7):49-61, 2015.
- [24] S. Tahmina, Detection of *Vibrio Spp*, *Salmonella Spp* and *Shigella Spp* among the Frozen Food Samples Employing Enrichment Culture Techniques. *Stanford Journal of Microbiology*, 5(1):26-29, 2015. <https://doi.org/10.3329/sjm.v5i1.26917>
- [25] J. W. Gatheru, F. M. Khamis, F. L. O. Ombura, J. Nonoh, C. M. Tanga, J. Maina, S. A. Mohamed, S. Subramanian, S. Ekesi and K. K. M. Fiaboe, Impact of processing methods on microbial load of reared and wild-caught edible crickets (*Scapsipedus icipe* and *Gryllus bimaculatus*) in Kenya. *Journal of Insects as Food and Feed*, 5(3):171-183, 2019. <https://doi.org/10.3920/JIFF2018.0042>
- [26] Jennifer, J. P., Alison, B. and Denise, I. S., 2019. Influence of dry salting on quality attributes of farmed kelp (*Alaria esculenta*) during long-term refrigerated storage, *LWT-Food science and Technology*, 114, 108362, <https://doi.org/10.1016/j.lwt.2019.108362>
- [27] N. Amanidaz, A. Zafarzadeh, and A. H. Mahvi, The Interaction between Heterotrophic Bacteria and Coliform, Fecal Coliform, Fecal Streptococci Bacteria in the Water Supply Networks. *Iranian journal of public health*, 44(12), 1685-1692, 2015.
- [28] J. P. Rosec, V. Causse, B. Cruz, J. Rauzier and L. Carnat, The international standard ISO/TS 21872-1 to study the occurrence of total and pathogenic *Vibrio parahaemolyticus* and *Vibrio cholerae* in seafood: ITS improvement by use of a chromogenic medium and PCR. *Int. J. Food Microbiol.* 2;157(2):189-94, 2012. <https://doi.org/10.1016/j.ijfoodmicro.2012.04.026>, Epub 2012 May 12. PMID: 22682545.
- [29] T. E. Lovelace, H. Tubiash and R. R. Colwell. Quantitative and qualitative Commensal Bacterial Flora of *Crassostrea Virginica* in Cjesapeake bay. *Broc. NaH. Shellfish. Assoc*, 58:82-84, 1968.