





































































- Tocher, D.R. 2010. Fatty acid requirements in ontogeny of marine and freshwater fish, *Aquacult. Res.*, 41: 717-732.
- Toledo, J.D., M.S. Golez, M. Doi, and A. Ohno. 2000. Use of copepod *nauplii* during early feeding stage of grouper *Epinephelus coioides*. *Fish. Sci.*, 65:390–397.
- Tonheim, S.K. 2000. Enrichment of *Artemia* with free methionine. *Aquacult.*, 190: 223–235.
- Trece, G.D., 2004. *Artemia* Production for Marine Larval Fish Culture, SRAC Publication No. 702, Texas A & M University, Sea Grant College Program.
- Tuan T.N., P.M. Duc, K. Hatai. 2013. Overview of the use of probiotics in aquaculture, *Int. J. Resear. Fisher. Aquacult.* 3: 89–97.
- Vasudevan, S., S.D. Kumar, M. Kathiresan and P. Santhanam. 2012. Short Term Investigation on Vertical Distribution of Physico-Chemical And Phytoplankton Biomass in Pambanar Estuary, Southeast Coast of India. *Indian J. Nat. Sci.*, Vol. 3.
- Vengadeshperumal, N., P.D.M. Rajkumar, P. Perumal, S. Vijalakshimi & T. Balasubramanian. 2010. Laboratory culture and biochemical characterization of the calanoid copepod, *Acartia southwelli* & *Acartia centrura* (Giesbretch, 1889). *Adv. Biol. Res.*, 4: 97–107.
- Villamil, L., C. Tafalla, A. Figueras, B. Novoa. 2002. Evaluation of immunomodulatory effects of lactic acid bacteria in turbot (*Scophthalmus maximus*). *J. Clin. Diagn. Lab. Immunol.*, 9: 1318–1323.
- Witt, U. 1984. Survival and growth of turbot larvae *Scophthalmus maximus* L. reared on different food organisms with special regard to long-chain polyunsaturated fatty acids. *Aquac. Eng.*, 3: 190– 1771.
- Zhou Q., C. Wu, B. Dong, F. Liu & J. Xiang. (2008). The encysted dormant embryo proteome of *Artemia sinica*. *Mar. Biotechnol.*, 10: 438–446.
- Zableckis, J. 2010. Rearing Peculiarities of Plateliai White Fish (*Coregonus lavaretus*) under yearlings. *Fish. Auacult.*, 3: 175-178.