

19. A. BM, Koenig K, Jamil PK, Streatfield T, Saha A, Al-Sabir SE, Arifeen KH, Haqu aY: Maternal Health and Care-Seeking Behavior In Bangladesh. *International Family Planning Perspectives*, 2007, 33, Number 2.
20. TILAHUN SAOL(BSc R: Prevalence of postnatal care utilization and associated factors among postnatal mothers in sodo zuria district, wolaita zone. 2016.
21. Trondheim: Health Seeking Behaviour of Pregnant Women in Banke District, Nepal. *GAURAV CHHETRI* June 2015.
22. Elizabeth AM, Khan AM, Rashid W: Reproductive healthcare-seeking behavior among urban slum women of Delhi. *Journal of education and health promotion* 2015, 4:87.
23. GA, Osuga² BO: < factors-associated-with-reproductive-health-seeking-behavior-among-women-of-reproductive-age-1549-years-a-case-study-of-kangitiit.pdf>. *Global Journal of Research and Review* 2017, Vol. 4 No. 1: 6
24. Aboagye E, Agyemang OS: Maternal health-seeking Behavior: The Role of Financing and Organization of Health Services in Ghana *Global Journal of Health Science*; 2013, Vol. 5.
25. Ayana Hordofa M: Postnatal Care Service Utilization and Associated Factors Among Women in Dembecha District, Northwest Ethiopia. *Science Journal of Public Health* 2015, 3(5):686.
26. Shivam Gupta^{1*} GY, Rose Mpembeni², Gasto Frumence², Jennifer A. Callaghan-Koru¹, Raz Stevenson³ NB, Abdullah H. Baqui¹: Factors associated with four or more antenatal care visits and its decline among pregnant women in Tanzania between 1999 and 2010. *plos one | www.plosone.org* 2010, volume 9(issue 7).
27. UFGA: maternal and child health. *UFGA Africa report* 2015.
28. Annet N: Factors influencing utilization of postnatal services in Mulago and mengo hospitalsuganda. 2012.
29. Takai I, Dlakwa H, Bukar M, Audu B, Kwayabura A: Factors responsible for under-utilization of postnatal care services in Maiduguri, north-eastern Nigeria. *Sahel Medical Journal* 2015, 18(3):109.
30. Bultu Abagero MSTaKHA: Magnitude and predictors of antenatal care (ANC) completion among mothers attending delivery and post-natal service in Jimma town, Oromia Region, South West Ethiopia. *Journal of Public Health and Epidemiology* 2017, 9(9):251-259.