

References

- [1] Amsler, M. O., Y. M. Huang, W. Engl, J. B. McClintock, and C. D. Amsler. 2015. Abundance and Diversity of Gastropods Associated with Dominant Macroalgae from the Western Antarctic Peninsula. *Polar Biology*, 10.1007/s00300-015-1681-4.
- [2] Bégin, C., L. E. Johnson, and J. H. Himmelman. 2004. Macroalgal Canopies: Distribution and Diversity of Associated Invertebrates and Effects on the Recruitment and Growth of Mussels. *Marine Ecology Progress Series*. 271: 121-132 p. Université Laval, Quebec, Canada.
- [3] Bold, H. C., and M. J. Wayne. 1985. *Introduction to the Algae: Structure and Reproduction*. Prentice-Hall Inc, New Jersey.
- [4] Bracken, M. E. S. 2004. Invertebrate-Mediated Nutrient Loading Increases Growth of an Intertidal Macroalga. *Journal of Phycology*, 40:1032-1041.
- [5] Bracken, M. E. S., and K. J. Nielsen. 2004. Diversity of Intertidal Macroalgae Increases with Nitrogen Loading by Invertebrates. *Ecology*, 85 (10).
- [6] Bracken, M. E. S., C. A. Gonzalez-Dorantes, and J. J. Stachowicz. 2007. Whole-Community Mutualism: Associated Invertebrates Facilitate a Dominant Habitat-Forming Seaweed. *Ecology*, 88(9): 2211-2219.
- [7] Bulleri, F., L. Benedetti-Cecchi, S. Acunto, F. Cinelli, and S. J. Hawkins. 2002. The Influence of Canopy Algae on Vertical Patterns of Distribution of Low-Shore Assemblages on Rocky Coasts in the Northwest Mediterranean. *Journal Experimental Marine Biology Ecology*, 267:89-106.
- [8] Cartwright, P., B. Schierwater, and L.W. Buss. 2006. Expression of a Gsx Parahox Gene, Cnox-2, in Colony Ontogeny in Hydractinia (Cnidaria: Hydrozoa). *Journal of Experimental Zoology*, 306 B.
- [9] Chemello, R., and M. Millazo. 2002. Effect of Algal Architecture on Associated Fauna: Some Evidence from Phytal Molluscs. *Marine Biology*, 140:981-990.
- [10] Connel, Y.H. 1974. *Field Experiment in Marine Ecology*. Academy Press, New York.
- [11] Dayton, P. K. 1985. Ecology of Kelp Communities. *Annu Rev Ecol Syst*, 16:215-245.
- [12] Dean, R. L., and J. H. Connel. 1987. Marine Invertebrates in an Algal Succession. III. Mechanism Linking Habitat Complexity with Diversity. *Journal Experiment Marine Biology Ecology*, 109:249-273.
- [13] Diaz-Pulido, G., and L. J. McCook. 2008. Macroalgae (Seaweeds) in Chin. A, (ed) *The State of the Great Barrier Reef On-Line*, Great Barrier Reef Marine Park Authority, Townsville, Australia.
- [14] Duffy, J. E., J. P. Richardson, and E. A. Canuel. 2003. Grazer Diversity Effects on Ecosystem Functioning in Seagrass Beds. *Ecology Letters* 6:637-645.
- [15] Duggins, D. O., C. A. Simenstad, and J. A. Estes. 1989. Magnification of Secondary Production by Kelp Detritus in Coastal Marine Ecosystems. *Science*, 245:170-173 p.
- [16] Duggins, D. O., J. E. Eckman, and A. T. Sewell. 1990. Ecology of Understory Kelp Environments. II. Effects of Kels on Recruitment of Benthic Invertebrates. *Journal of Experimental Marine Biology and Ecology*, 143:27-45 p.
- [17] Eckman, J. E. (1983). Hydrodynamic Processes Affecting Benthic Recruitment. *Limnol Oceanogr*, 28:241-257.
- [18] Eckman, J. E., and D. O. Duggins. 1991. Life and Death Beneath Macrophyte Canopies: Effects of Understory Kelps on Growth Rates and Survival of Marine, Benthic Suspension Feeders. *Oecologia*, 87:473-487 p.
- [19] English, S., C. Wilkinson, and V. Backer. 1994. *Survey Manual for Tropical Marine Resources*. Australian Institute of Marine Science, Townsville.
- [20] Foley, M. M., B. S. Halpern, F. Micheli, M. H. Armsby, M. R. Caldwell, C. M. Crain, E. Prahler, N. Rohr, D. Sivas, M. W. Beck, M. H. Carr, L. B. Crowder, J. E. Duffy, S. D. Hacker, K. L. Mcleod, S. R. Palumbi, C. H. Peterson, H. M. Regan, M. H. Ruckelshaus, P. A. Sandifer, and R. S. Steneck. 2010. *Marine Policy: Guiding Ecological Principles for Marine Spatial Planning*. J.Marpol, doi: 10.1016.
- [21] Fukunaga, A. 2008. Invertebrate Community Associated with the Macroalga *Halimeda kanaloana* Meadow in Maui, Hawaii. *Hydrobiology*, 93:328-341.
- [22] Gagnon, P., Himmelman, J. H., and L. E. Johnson. 2004. Temporal Variation in Community Interfaces: Kelp Ben Boundary Dynamics Adjacent to Persistent Urchin Barrens. *Mar Biol*, 144:1191-1203.
- [23] Grabowski, J. H., A. R. Hughes, D. L. Kimbro, and M. A. Dolan. 2005. How Habitat Setting Influences Restored Oyster Reef Communities. *Ecology*, 86:1926-1935.
- [24] Hacker, S. D., and R. S. Steneck. 1990. Habitat Architecture and the Abundance and Body-Size-Dependent Habitat Selection of A Phytal Amphipod. *Ecology*, 71:2269-2285.
- [25] Himmelman, J. H., A. Cardinal, and E. Bourget. 1983. Community Development Following Removal of Sea Urchins, *Strongylocentrotus droebachiensis*, from the Rocky Subtidal Zone of the St. Lawrence Estuary, Eastern Canada. *Oecologia*, 59: 27-39.
- [26] Himmelman, J. H. 1984. Urchin Feeding and Macroalgal Distribution in Newfoundland, eastern Canada. *Nat Can*, 111:337-348.
- [27] Jensen, S. L., and G. Muller-Parker. 1994. Inorganic Nutrient Fluxes in Anemone-Dominated Tide Pool. *Pacific Science*, 48:32-43 p.
- [28] Ministry of Indonesian Environment and Forestry (KMLH). 2004. Regulation of Environment Minister Number 51 about Seawater Quality Standards for Marine Biota. Indonesian Document, Jakarta.
- [29] Littler, M. M., D. S. Littler, and B. L. Brooks. Harmful Algae on Tropical Coral Reefs: Bottom-Up Eutrophication and Top-Down Herbivory. *Harmful Algae* 5, 565-585.
- [30] Prather, C. M., S. L. Pelini, A. Laws, E. Rivest, M. Woltz, C. P. Bloch, I. Del Toro, C. K. Ho, J. Kominoski, T. A. Newbold, S. Parsons, and A. Joern. *Invertebrates, Ecosystem Service and Climate Change*. *Biol Rev Camb Philos Soc*, 88 (2): 327-48.
- [31] Scheibling, R. E. 1986. Increased Macroalgal Abundance Following Mass Mortalities of Sea Urchins (*Strongylocentrotus droebachiensis*) along the Atlantic Coast of Nova Scotia. *Oecologia*, 68:186-198.
- [32] Scheibling, R. E., A. W. Hennigar, and T. Balch. (1999). Destructive Grazing, Epiphytism, and Disease: the Dynamics of Sea Urchin-Kelp Interactions in Nova Scotia. *Can J Fish Aquati Sci*, 56:2300-2314.
- [33] Shostak, S. 2006. Cnidaria (Coelenterates). *Encyclopedia of Life Sciences*. John Wiley & Sons, New York.
- [34] Stachowicz, J. J., and R. B. Whitlatch. 2005. Multiple Mutualists Provide Complementary Benefits to Their Seaweed Host. *Ecology*, 86:2418-2427.
- [35] Taylor, R. B., and R. G. Cole. 1994. Mobile Epifauna on Subtidal Brown Seaweeds in Northeastern New Zealand. *Marine Ecology Progress Series*, 115:271-282.
- [36] Taylor, R. B., and T. A. V. Rees. 1998. Excretory Products of Mobile Epifauna as a Nitrogen Source for Seaweeds. *Limnology and Oceanography* 43:600-606 p.
- [37] Tomascik, T., A. J. Mah, A. Nontji, and M. K. Moosa. 1997. *The Ecology of the Indonesia Seas : Part II*. Periplus, Singapore.
- [38] Williams, G.A. 1993. Seasonal Variation in Algal Species Richness and Abundance in the Presence of Molluscan Herbivores on a Tropical Rocky Shore. *Journal Experiment Marine Biology Ecology*, 167:261-275.
- [39] Witman, J. D. 1987. Subtidal Coexistence: Storms, Grazing, Mutualism, and the Zonation of Kelps and Mussels. *Ecol Monogr*, 57:157-187.
- [40] Young, M., and F. S. Chia. 1984. Microhabitat-Associated Variability in Survival and Growth of Subtidal Solitary Ascidians During the First 21 Days after Settlement. *Marine Biology*, 81:61-68.