



























































23. Centers for Disease Control and Prevention. Considerations for Wearing Masks. United States of America; 2020 (<https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/cloth-face-cover-guidance.html> accessed 14 August 2020).
24. Du, Z., Wang, X., Dai, E., Lu, H., Han, Y., Pang, X., Zhai, J., Yang, R., Wu, Q., Li, J., Yang, L., Wang, J., 2005. Examination of SARS coronavirus in air and air conditioner samples. *Chinese Journal of Disinfection* 22, 156-158.
25. Feng S , Shen C , Xia N , Song W , Fan M , Cowling BJ . Rational use of face masks in the COVID-19 pandemic. *Lancet Respir Med* 2020 .
26. Hayat, A., Munnawar, F., 2016. Antibacterial effectiveness of commercially available hand sanitizers. *Int. J. Biol. Biotechnol.* 13 (3), 427–431.
27. Lachenmeier, D.W., 2008. Safety evaluation of topical applications of ethanol on the skin and inside the oral cavity. *J. Occup. Med. Toxicol.* 3, 26. <https://doi.org/10.1186/1745-6673-3-26>.
28. Li G, Fan Y, Lai Y, Han T, Li Z, Zhou P, Pan P, Wang W, Hu D, Liu X, Zhang Q, Wu J. 2020. Coronavirus infections and immune responses. *J Med Virol* 92:424 – 432.
29. Moon, J.M., Chun, B.J., Min, Y.I., 2006. Hemorrhagic gastritis and gas emboli after ingesting 3% hydrogen peroxide. *Int. J. Emerg. Med.* 30 (4), 403–406.
30. Morgan, W., 2020. Heavy use of hand sanitizer boosts antimicrobial resistance. *PhysOrg* April 17. Retrieved from. <https://phys.org/news/2020-04-heavy-sanitizer-boosts-antimicrobial-resistance.html>.