

































Dubois, F.; Goutenoire, F.; Lalignant, Y.; Suard, E.; Lacorre, P. Ab-Initio Determination of La<sub>2</sub>Mo<sub>4</sub>O<sub>15</sub> Crystal Structure from X-rays and Neutron Powder Diffraction. *J. Solid State Chem.* 2001, 159, 228–233.

[11] Florian, P.; Massiot, D.; Suard, E.; Goutenoire, F. La<sub>10</sub>W<sub>2</sub>O<sub>21</sub>: An Anion-Deficient Fluorite-Related Superstructure with Oxide Ion Conduction. *Inorg. Chem.* 2014, 53, 147–159. <https://doi.org/10.1007/s10870-019-00788-3>

[12] J. You, L. Xin, X. Yu, X. Zhou and Y. Liu, Synthesis of homogenous CaMoO<sub>4</sub> microspheres with nanopits for high-capacity anode material in Li-ion battery, *Appl. Phys. A: Mater. Sci. Process.*, 2018, 124, 271. 580

[13] Lopez-Vergara, A.; Porras-Vazquez, J. M.; Infantes-Molina, A.; Canales -Vazquez, J.; mah Jebli · Abdessalem Badri · Mongi Ben Amar *Journal of Chemical Crystallography*

[14] N. Tancret, S. Obbade, N. Bettahar, and F. Abraha *Journal of Solid State Chemistry* 124, 309–318 (1996)

[15] Parashuram Mishra, Synthesis, crystal structure determination and ionic properties of novel Bi<sub>1</sub>Ca<sub>0.5</sub>Mg<sub>0.5</sub>O<sub>2.5</sub> via X-ray powder diffraction data *Crystal Growth*. 2041 32 (2011) 2041-204

[16] Philipp Bertocco · Christoph Bolli · Bruno A. Correia Bicho · Carsten Jenne · Marc C. Nierstenhöfer *Journal of Chemical Crystallography* <https://doi.org/10.1007/s10870-019-00773->

[17] T. Dan Vu, † Firas Krichen, † Maud Barre, † Sandrine Coste, † Alain Jouanneaux, † Emmanuelle Suard, § Andrew Fitch, || and François Goutenoire targeted synthesis of bismuth oxohalides with layered structures, *Russ. J. Inorg. Chem. Suppl.* 53 (2008) 1977–1996, <https://doi.org/10.1134/S0036023608130019>.

[18] Thomas E. Weirich, Joaquim Portillo, Gerhard Cox, Hartmut Hibst, Stavros Nicolopoulos, *Ultramicroscopy* 106 (2006) 164–175

[19] Y. Liang, X. Han, Z. Yi, W. Tang, L. Zhou, J. Sun, S. Yang and Y. Zhou, Synthesis, characterization and lithium intercalation properties of rod-like CaMoO<sub>4</sub> nanocrystals, *J. Solid State Electrochem.*, 2007, 11, 1127–1131.

[20] Parashuram Mishra, AB Initio Structure Determination of Bi<sub>0.5</sub>Mn<sub>0.125</sub>Mo<sub>0.5</sub>O<sub>0.67</sub>U<sub>0.32</sub> Mixed Valency From Quaternary of BiO<sub>2</sub>-VO<sub>2</sub>-UO<sub>2</sub>-MnO-MoO, *International Refereed Journal of Engineering and Science (IRJES)*, Volume 9, Issue 3 (March 2020), PP. 18-24

[21] Bimal K. Kanth and Parashuram Mishra, Synthesis and structure determination of novel mixed valence Pb<sub>0.5</sub>U<sub>0.25</sub>Zr<sub>1.25</sub>O<sub>4.5</sub> by powder xrd obtained from PbCO<sub>3</sub>-U<sub>2</sub>(CO<sub>3</sub>)<sub>2</sub>-Zr<sub>2</sub>(CO<sub>3</sub>)<sub>2</sub> ternary mixed valence oxides, *International Journal For Research In Applied And Natural Science*, Volume-6 | Issue-7 | July, 2020

[22] Christopher M. Caskey, Aaron Holder, Sarah Shulda, Steven T. Christensen, David Diercks, Craig P. Schwartz, David Biagioni, Dennis Nordlund, Alon Kukliansky, Amir Natan, David Prendergast, Bernardo Orvananos, Wenhao Sun, Xiuwen Zhang, Gerbrand Ceder, David S. Ginley, William Tumas, John D. Perkins, Vladan Stevanovic, Svitlana Pylypenko, Stephan Lany, Ryan M. Richards, and Andriy Zakutayev, Synthesis of a mixed-valent tin nitride and considerations of its possible crystal structures, *The Journal of Chemical Physics* 144, 144201 (2016); doi: 10.1063/1.4945561